

# Hydrogen Supply: Cost Estimate for Hydrogen Pathways – Scoping Analysis

Dale R. Simbeck  
Elaine Chang

*SFA Pacific, Inc.*  
*Mountain View, California*



**NREL**

**National Renewable Energy Laboratory**

1617 Cole Boulevard  
Golden, Colorado 80401-3393

NREL is a U.S. Department of Energy Laboratory  
Operated by Midwest Research Institute • Battelle • Bechtel

Contract No. DE-AC36-99-GO10337

# Hydrogen Supply: Cost Estimate for Hydrogen Pathways – Scoping Analysis

**1/22/02-7/22/02**

Dale R. Simbeck  
Elaine Chang

*SFA Pacific, Inc.*  
*Mountain View, California*

NREL Technical Monitor: Wendy Clark

Prepared under Subcontract No.ACL-2-32030-01



**NREL**

**National Renewable Energy Laboratory**

1617 Cole Boulevard  
Golden, Colorado 80401-3393

NREL is a U.S. Department of Energy Laboratory  
Operated by Midwest Research Institute • Battelle • Bechtel

Contract No. DE-AC36-99-GO10337

## NOTICE

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available electronically at <http://www.osti.gov/bridge>

Available for a processing fee to U.S. Department of Energy  
and its contractors, in paper, from:

U.S. Department of Energy  
Office of Scientific and Technical Information  
P.O. Box 62  
Oak Ridge, TN 37831-0062  
phone: 865.576.8401  
fax: 865.576.5728  
email: [reports@adonis.osti.gov](mailto:reports@adonis.osti.gov)

Available for sale to the public, in paper, from:

U.S. Department of Commerce  
National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
phone: 800.553.6847  
fax: 703.605.6900  
email: [orders@ntis.fedworld.gov](mailto:orders@ntis.fedworld.gov)  
online ordering: <http://www.ntis.gov/ordering.htm>



## Table of Contents

Introduction.....	2
Summary.....	6
Consistency and Transparency .....	8
Ease of Comparison .....	8
Flexibility Improvements.....	9
Potential Improvements for Hydrogen Economics.....	9
Central Plant Hydrogen Production.....	9
Hydrogen Distribution .....	10
Hydrogen Fueling Stations .....	10
Hydrogen Economic Module Basis .....	10
Hydrogen Production Technology.....	11
Reforming.....	12
Gasification.....	13
Electrolysis.....	13
Central Plant Hydrogen Production.....	14
Hydrogen Handling and Storage.....	17
Hydrogen Liquefaction .....	17
Gaseous Hydrogen Compression.....	18
Hydrogen Storage .....	18
Hydrogen Distribution .....	19
Road Delivery (Tanker Trucks and Tube Trailers).....	20
Pipeline Delivery .....	21
Hydrogen Fueling Station.....	21
Liquid Hydrogen Based Fueling.....	23
Gaseous Hydrogen Based Fueling.....	23
Forecourt Hydrogen Production .....	23
Sensitivity .....	25
Special Acknowledgement.....	26
References.....	26
General.....	26
Gasification.....	26
Large Steam Methane Reforming.....	27
Small Steam Methane Reforming.....	30
Electrolysis.....	30
Pipeline .....	31
High Pressure Storage.....	31
High Pressure Compression.....	31
Delivery.....	31

## Acronyms and Abbreviations

ASU	air separation unit
ATR	autothermal reforming
BDT	bone-dry ton
Btu	British thermal unit
EOR	enhanced oil recovery
FC	fuel cell
gal	gallon
GPS	global positioning system
H <sub>2</sub>	molecular hydrogen ?????
ICE	internal combustion engine
IHIG	International Hydrogen Infrastructure Group
kg	kilogram
kg/d	kilograms per day
O&M	operating and maintenance
PO	partial oxidation
PSA	pressure swing adsorption
psig	pounds per square inch gauge
SMR	steam methane reforming

## Introduction

The International Hydrogen Infrastructure Group (IHIG) requested a comparative “scoping” economic analysis of 19 pathways for producing, handling, distributing, and dispensing hydrogen for fuel cell (FC) vehicle applications. Of the 19 pathways shown in Table 1, 15 were designated for large-scale central plants and the remaining four pathways focus on smaller modular units suitable for forecourt (fueling station) on-site production. Production capacity is the major determinant for these two pathways. The central hydrogen conversion plant is sized to supply regional hydrogen markets, whereas the forecourt capacity is sized to meet local service station demand.

**Table 1**  
**IHIG Hydrogen Pathways**

Original Feedstocks	Revised Feedstocks	Location of H <sub>2</sub> Production
Biomass	Biomass	Central
Natural gas	Natural gas	Central and forecourt
Water	Water	Central and forecourt
Coal	Coal	Central
Petroleum coke	Petroleum coke	Central
Methanol	Methanol	Forecourt
Gasoline	Gasoline	Forecourt
H <sub>2</sub> from ethylene or refinery	Residue/pitch	Central

The by-product source of hydrogen defined by IHIG in the original proposal has been replaced with residue/pitch. For all practical purposes, by-product hydrogen from ethylene plants and naphtha reforming is fully utilized by petrochemical and refining processes. In the future, the demand for hydrogen will increase at a higher rate than the growth of by-product production. Since the mid-1990s, the demand for hydrogen in refineries has been growing at an annual rate of 5%-10%. More hydroprocessing treatment of feedstocks and products are required to meet increasingly stringent clean fuel specifications for gasoline and diesel. Meanwhile, by-product hydrogen production has been declining during the same period. Specifically:

- Hydrogen yields from naphtha reforming have been declining as refineries adjust their operational severity downward to reduce the aromatic content in the reformat; a major gasoline blending stock.
- Most of the new ethylene capacities are based on less hydrogen-rich liquid feedstocks such as naphtha.

## SFA Pacific, Inc.

Hydrogen could be extracted from the eight feedstocks listed in Table 3 using the following five commercially proven technologies.

Steam methane reforming  
Methanol reforming  
Gasoline reforming  
Gasification/partial oxidation  
Electrolysis

Table 2 shows feedstocks, associated conversion technologies, and distribution methods for the 14 central facility pathways. For central production plants, there are several intermediate steps before the hydrogen could be dispensed into FC vehicles. The purified hydrogen has to be either liquefied or compressed before it can be transported by cryogenic trucks, pipelines, or tube trailers. In the base case, the delivered hydrogen has to be pressurized to 400 atmospheres (6,000 psig) to be dispensed into FC vehicles outfitted with 340 atmospheres (5,000 psig) on-board cylinders.

Table 5 shows four forecourt hydrogen production pathways. On-site production eliminates the need for intermediate handling steps and distribution infrastructure.

**Table 2**  
**Central Hydrogen Production Pathways**

Case No.	Feedstock	Conversion Process	Method of Distribution
C4	Natural gas	Steam methane reforming	Liquid H <sub>2</sub> via truck
C11	Natural gas	Steam methane reforming	Gaseous H <sub>2</sub> via tube trailer
C3	Natural gas	Steam methane reforming	Gaseous H <sub>2</sub> via Pipeline
C9	Coal	Partial oxidation	Liquid H <sub>2</sub> via truck
C15	Coal	Partial oxidation	Gaseous H <sub>2</sub> via tube trailer
C8	Coal	Partial oxidation	Gaseous H <sub>2</sub> via Pipeline
C6	Water	Electrolysis	Liquid H <sub>2</sub> via truck
C12	Water	Electrolysis	Gaseous H <sub>2</sub> via tube trailer
C5	Water	Electrolysis	Gaseous H <sub>2</sub> via Pipeline
C2	Biomass	Gasification	Liquid H <sub>2</sub> via truck
C10	Biomass	Gasification	Gaseous H <sub>2</sub> via tube trailer
C1	Biomass	Gasification	Gaseous H <sub>2</sub> via Pipeline
C7	Petroleum coke	Gasification	Gaseous H <sub>2</sub> via Pipeline
C13	Residue	Gasification	Gaseous H <sub>2</sub> via Pipeline

**Table 3**  
**Forecourt Hydrogen Production Pathways**

Case No.	Feedstock	Conversion Process
F1	Methanol	Methanol reforming
F2	Natural gas	Steam methane reforming
F3	Gasoline	Gasoline reforming
F4	Water	Electrolysis




## Summary

SFA Pacific has developed consistent and transparent infrastructure cost modules for producing, handling, distributing, and dispensing hydrogen from a central plant and forecourt (fueling station) on-site facility for fuel cell (FC) vehicle applications. The investment and operating costs are based on SFA Pacific’s extensive database and verified with three industrial gas companies (Air Products, BOC, and Praxair) and hydrogen equipment vendors.

The SFA Pacific cost module worksheets allow users to provide alternative inputs for all the cells that are highlighted in light gray boxes. Flexibilities are provided for assumptions that include production capacity, capital costs, capital build-up, fixed costs, variable costs, distribution distance, carrying capacity, fueling station sales volume, dispensing capacity, and others. Figure 1 compares the costs of hydrogen produced from a 150,000 kg/d central plant based on natural gas, coal, biomass, and water, delivered to forecourt by either liquid truck, gas tube trailer, or pipeline with a 470 kg/d forecourt production based on natural gas and water. The base case capacity was chosen at the beginning of the project to represent infrastructure requirements for the New York/New Jersey region.

**Figure 1**  
**Central Plant and Forecourt Hydrogen Costs**



Source: SFA Pacific, Inc.

## SFA Pacific, Inc.

Generally, the higher costs of commercial rates for feedstock and utilities coupled with lower operating rates lead to higher hydrogen costs from forecourt production. Regardless of the source for hydrogen, the above comparison shows the following trends for central plant production.

- The energy intensive liquefaction operation leads to the highest production cost, but incurs the lowest transportation cost
- The high capital investment required for pipeline construction makes it the most expensive delivery method
- The cost for gas tube trailer delivery is also high, slightly less than the pipeline cost, because the low hydrogen density limits each load to about 300 kg.

Other findings from this evaluation could facilitate the formulation of hydrogen infrastructure development strategies from the initial introductory period through ramp-up to a fully developed market.

- Advantages of economy of scale and lower industrial rates for feedstock and power compensate for the additional handling and delivery costs needed for distributing hydrogen to fueling stations from central plants.
- Hydrocarbon feedstock-based pathways have economic advantages in both investment and operating costs over renewable feedstocks such as water and biomass.
- Economics of forecourt production suffer from low utilization rates and higher commercial rates for feedstock and electricity. For natural gas based feedstock, the hydrogen costs from forecourt production are comparable to those of hydrogen produced at a central plant and distributed to fueling stations by tube trailer, and are 20% higher than the liquid tanker truck delivery pathway.
- To meet the increasing demand during the ramp-up period, a “mix and match” of the three delivery systems (tube trailers, tanker trucks, and pipelines) is a likely scenario. Tube trailers, which haul smaller quantities of hydrogen, are probably best suited for the introductory period. As the demand grows, cryogenic tanker trucks could serve larger markets located further from the central plant. As the ramp-up continues, additional production trains would be added to the existing central plants, and ultimately a few strategically placed hydrogen pipelines could connect these plants to selected stations and distribution points.
- On-board liquid (methanol or naphtha) reforming or direct FC technology could leverage the existing liquids infrastructure. It would eliminate costly hydrogen delivery and dispensing infrastructures, as well as avoid regulatory issues regarding hydrogen handling.

## Consistency and Transparency

The SFA Pacific cost modules are “living documents.” The flexible inputs allow revisions for infrastructure adjustments and future improved capital and operating cost bases.

## Ease of Comparison

Table 4 shows that, at comparable capacity, SFA Pacific’s models yield cost estimates similar to those developed by Air Products for the Hydrogen Infrastructure Report [1] sponsored by Ford and the U.S. Department of Energy (DOE). Key findings from the Air Products evaluation were also published in the International Journal of Hydrogen Energy [2].

**Table 4**  
**Comparison of Hydrogen Costs Developed by SFA Pacific and Air Products**

Feedstock	H <sub>2</sub> Capacity (t/d)	H <sub>2</sub> Source	Investment (\$million)		Hydrogen Cost (\$/kg)	
			SFA Pacific	Air Products	SFA Pacific	Air Products
Natural Gas	27	Liquid	102	63	4.34	3.35
Natural Gas	27	Pipeline <sup>a</sup>	71	82	3.08	2.91
Natural Gas	2.7	Forecourt	6.2	9.6	3.30	3.57
Methanol	2.7	Forecourt	6.0	6.8	3.46	3.76

<sup>a</sup> To be consistent with the estimates from Air Products, SFA Pacific excluded fueling state investment and operating costs in this comparison.

Source: SFA Pacific, Inc.

The differences between SFA Pacific and Air Products costs for hydrogen delivered by cryogenic tanker trucks could be attributed to a large discrepancy shown in the capital investment for fueling station infrastructure (Table 5).

**Table 5**  
**Capital Investment Allocations for Methane Based Liquefied Hydrogen**  
**(\$Million)**

	SFA Pacific	Air Products
Steam Methane Reformer	21	19
Liquefier	44	41
Tanker Trucks	7	n/a
Fueling Stations	<u>30</u>	<u>3</u>
Total	102	63

Source: SFA Pacific, Inc.

### ***Flexibility Improvements***

Currently, the central plant storage matches the form of hydrogen for a designated delivery option. A separate and independent module for handling and storing purified gaseous hydrogen would increase the model’s flexibility in evaluating mix-match storage and delivery options to meet the rising demand during the ramp-up period.

### **Potential Improvements for Hydrogen Economics**

All hydrogen pathways were developed based on conventional technology and infrastructure deployment. However, new technologies and novel operating options could potentially reduce the cost of hydrogen, thus making it a more attractive fuel option.

### ***Central Plant Hydrogen Production***

- Polygeneration (a term referring to the co-production of electric power for sale to the grid) would improve the hydrogen economics. Central gasification units have advantages of economy of scale and lower marginal operating and maintenance costs compared with the same option for forecourt production.
- Installing a liquefaction unit would lower the central storage costs and provide greater flexibility. It is more practical to store large amounts of liquid than gaseous hydrogen. More storage capacity would allow the hydrogen plant to operate at a higher utilization rate. If the hydrogen is to be transported either by pipelines or tube trailers, a slipstream from the boil-off could supply the gaseous hydrogen for distribution.
- Using a hybrid technology or heat-exchange design improves steam reforming operation and increases conversion. Autothermal reforming (ATR), which combines partial oxidation with reforming, improves heat and temperature management. Instead of a single-step process, ATR is a two-step process in hydrogen plants—the partially reformed gases from the primary reformer feed a secondary oxygen blown reformer with additional methane. The exothermic heat release from the oxidation reaction supplies the endothermic heat needs of the reforming reactions. Including reforming reactions allows co-feeding of CO<sub>2</sub> or steam to achieve a wider range of H<sub>2</sub>/CO ratios in the syngas.

- Capturing CO<sub>2</sub> for enhanced oil recovery (EOR) or for future CO<sub>2</sub> trading could improve the economics of hydrogen production if CO<sub>2</sub> mitigation is mandated and supported by trading.

### ***Hydrogen Distribution***

- Hydrogen pipeline costs could be reduced by placing the pipelines in sewers, securing utility status, or converting existing natural gas pipelines to carry a mixture of hydrogen/natural gas (town gas).
- Using ultra high-pressure (10,000 psig) tube trailers could potentially triple the carrying load.

### ***Hydrogen Fueling Stations***

The infrastructure investment for fueling stations could reach 60% of the total capital costs. By using the global positioning system (GPS), which has gained wide consumer acceptance, we could significantly lower the traditional strategy of 25% urban and 50% rural area hydrogen service station penetration. The GPS system would enable FC vehicle drivers to locate fueling stations more efficiently. Additional strategies for reducing infrastructure investment include:

- Using ultra high-pressure (about 800 to 900 atmospheres) vessels to increase forecourt hydrogen storage capacity. It may be possible to have large vertical vessels underground or to use them as canopy supports to minimize land usage.
- Replacing on-board hydrogen cylinders with pre-filled ones instead of the traditional fill-up option could eliminate fueling station infrastructure investment.
- Dispensing liquid hydrogen into FC vehicles (an idea brought up by BMW during the April 4, 2002 meeting) could eliminate the need for expensive compression and storage costs at forecourts. However, an innovative on-board liquid hydrogen storage design is needed to prevent boil-off when the FC vehicle is not in use.

### **Hydrogen Economic Module Basis**

SFA Pacific developed simplified energy, material balance, capital investment, and operating costs to achieve transparency and consistency. Cost estimates are presented in five workbooks (Appendix A) include central plant, distribution, fueling station, forecourt, and overall summary. Each worksheet includes a simplified block flow diagram and major line items for capital and operating costs. Capital investment and operating costs are based on an extensive proprietary SFA Pacific database, which has been verified with industrial gas producers and hydrogen equipment vendors. The database contains reliable data for large and small-scale steam methane reforming and gasification units. Although SFA has confirmed the estimates for electrolyzers with industrial gas companies, they could probably be improved further. There are many advocates and manufacturers giving quotes that are significantly lower than those used in this analysis. Some of these discrepancies could be attributed to the manufacturers' exclusion of a processing step to remove contaminants, and others could result from optimistic estimates based on projected future breakthroughs.

The investment and operating costs modules are developed based upon commonly accepted cost estimating practices. Capital build-up is based on percentages of battery limit process unit costs. Variable non-fuel and fixed operating and maintenance (O&M) costs are estimated based on percentages of total capital per year. Capital charges are also estimated as percentages of total capital per year assumptions for capital investment. Operating costs (variable and fixed) and capital charges are listed in Table 6. For ease of comparison, all unit costs are shown in \$/million Btu, \$/1,000 scf, and \$/kg (\$/gal gasoline energy equivalent).

The capital cost estimates are based on U.S. Gulf Coast costs. A location factor adjustment is provided to facilitate the evaluation of costs for three targeted states: high cost urban areas such as New York/New Jersey and California and low-cost lower population density Texas. Two provisions are made at forecourt/fueling stations to allow “what-if” analysis: (1) road tax input accommodates possible government subsidies to jump-start the hydrogen economy and (2) gas station mark-ups permit incentives for lower revenue during initial stages of low hydrogen demand.

**Table 6**  
**Capital and Operating Costs Assumptions**

Capital Build-up	% of Process Unit	Typical Range
General Facilities	20	20-40 <sup>a</sup>
Engineering, Permitting, and Startup	15	10-20
Contingencies	10	10-20
Working Capital, Land, and Others	7	5-10
Operating Costs Build-up	%/yr of Capital	Typical Range
Variable Non-Fuel O&M	1.0	0.5-0.5
Fixed O&M	5.0	4-7
Capital Charges	18.0	20-25 for refiners 14-20 for utilities

<sup>a</sup> 20%-40% for steam methane reformer and an additional 10% for gasification.

Source: SFA Pacific, Inc.

## Hydrogen Production Technology

Three distinct types of commercially proven technologies were selected to extract hydrogen from the eight feedstocks. Fundamental principles for each technology apply regardless of the unit size. A brief technical review of reforming, gasification, and electrolysis describes the major processing steps required for each hydrogen production pathway.

- Reforming is the technology of choice for converting gaseous and light liquid hydrocarbons
- Gasification or partial oxidation (PO) is more flexible than reforming—it could process a range of gaseous, liquid, and solid feedstocks.
- Electrolysis splits hydrogen from water.

## **Reforming**

Steam methane reforming (SMR), methanol reforming, and gasoline reforming are based on the same fundamental principles with modified operating conditions depending on the hydrogen-to-carbon ratio of the feedstock.

SMR is an endothermic reaction conducted under high severity; the typical operating conditions are 30 atmospheres and temperatures exceeding 870°C (1,600°F). Conventional SMR is a fired heater filled with multiple tubes to ensure uniform heat transfer.



Typically the feedstock is pretreated to remove sulfur, a poison which deactivates nickel reforming catalysts. Guard beds filled with zinc oxide or activated carbon are used to pretreat natural gas and hydrodesulfurization is used for liquid hydrocarbons. Commercially, the steam to carbon ratio is between 2 and 3. Higher stoichiometric amounts of steam promote higher conversion rates and minimize thermal cracking and coke formation.

Because of the high operating temperatures, a considerable amount of heat is available for recovery from both the reformer exit gas and from the furnace flue gas. A portion of this heat is used to preheat the feed to the reformer and to generate the steam for the reformer. Additional heat is available to produce steam for export or to preheat the combustion air.

Methane reforming produces a synthesis gas (syngas) with a 3:1 H<sub>2</sub>/CO ratio. The H<sub>2</sub>/CO ratio decreases to 2:1 for less hydrogen-rich feedstocks such as light naphtha. The addition of a CO shift reactor could further increase hydrogen yield from SMR according to Equation 2.



The shift conversion may be conducted in either one or two stages operating at three temperature levels. High temperature (660°F or 350°C) shift utilizes an iron-based catalyst, whereas medium and low (400°F or 205°C) temperature shifts use a copper based catalyst. Assuming 76% SMR efficiency coupled with CO shift, the hydrogen yield from methane on a volume is 2.4:1.

There are two options for purifying crude hydrogen. Most of the modern plants use multi-bed pressure swing adsorption (PSA) to remove water, methane, CO<sub>2</sub>, N<sub>2</sub>, and CO from the shift reactor to produce a high purity product (99.99%+). Alternatively, CO<sub>2</sub> could be removed by chemical absorption followed by methanation to convert residual CO<sub>2</sub> in the syngas.

## **Gasification**

Traditionally, gasification is used to produce syngas from residual oil and coal. More recently, it has been extended to process petroleum coke. Although not as economical as SMR, there are a number of natural gas-based gasifiers. Other feedstocks include refinery wastes, biomass, and municipal solid waste. Gasification of 100% biomass feedstock is the most speculative technology used in this project. Total biomass based gasification has not been practiced commercially. However, a 25/75 biomass/coal has been commercially demonstrated by Shell at their Buggenm refinery. The biomass is dried chicken waste.

In addition to the primary reaction shown by Equation 3, a variety of secondary reactions such as hydrocracking, steam gasification, hydrocarbon reforming, and water-gas shift reactions also take place.



For liquid and solids gasification, the feedstocks react with oxygen or air under severity operating conditions (1,150°C -1,425°C or 2,100°F -2,600°F at 400-1,200 psig). In hydrogen production plant, there is an air separation unit (ASU) upstream of the gasifier. Using oxygen rather than air avoids downstream nitrogen removal steps.

In some designs, the gasifiers are injected with steam to moderate operating temperatures and to suppress carbon formation. The hot syngas could be cooled directly with a water quench at the bottom of the gasifier or indirectly in a waste heat exchanger (often referred to as a syngas cooler) or a combination of the two. Facilitating the CO shift reaction, a direct quench design maximizes hydrogen production. The acid gas (H<sub>2</sub>S and CO<sub>2</sub>) produced has to be removed from the hydrogen stream before it enters the purification unit.

When gasifying liquids, it is necessary to remove and recover soot (i.e., unconverted feed carbon), ash, and any metals (typically vanadium and nickel) that are present in the feed. The recovered soot can be recycled to the gasifier, although such recycling may be limited when the levels of ash and metals in the feed are high. Additional feed preparation and handling steps beyond the basic gasification process are needed for coal, petroleum coke, and other solids such as biomass.

## **Electrolysis**

Electrolysis is decomposition of water into hydrogen and oxygen, as shown in Equation 4.



Alkaline water electrolysis is the most common technology used in larger production capacity units (0.2 kg/day). In an alkaline electrolyzer, the electrolyte is a concentrated solution of KOH in water, and charge transport is through the diffusion of OH<sup>-</sup> ions from cathode to anode. Hydrogen is produced at the cathode with almost 100% purity at low pressures. Oxygen and water by-products have to be removed before dispensing.



Electrolysis is an energy intensive process. The power consumption at 100% efficiency is about 40 kWh/kg hydrogen; however, in practice it is closer to 50 kWh/kg. Since electrolysis units operate at relatively low pressures (10 atmospheres), higher compression is needed to distribute the hydrogen by pipelines or tube trailers compared to other hydrogen production technologies.

## Central Plant Hydrogen Production

Figure 2 shows that each central production hydrogen pathway consists of four steps: hydrogen production, handling, distribution, and dispensing.

**Figure 2**  
**Central Plant Hydrogen Production Pathway**




Table 7 lists feedstocks and utility costs used in this analysis. Central plant hydrogen production benefits from lower industrial rates, whereas the fueling stations are charged with the higher commercial rates.

**Table 7**  
**Central Hydrogen Production Feedstock and Utility Costs**

	<u>Unit Cost</u>
Natural gas (industrial)	\$3.5/MMBtu HHV
Electricity (industrial)	\$0.045/kW
Electricity (commercial)	\$0.070/kW
Biomass	\$57/bone dry ton
Coal	\$1.1/MMBtu dry HHV
Petroleum coke	\$0.2/MMBtu dry HHV
Residue (Pitch)	\$1.5/MMBtu dry HHV

Source: Annual Energy Outlook 2002 Reference Case Tables, EIA.

The design production capacity for each central plant ranges from 20,000 kg/d to 200,000 kg/d hydrogen with a 90% utilization rate. An arbitrary design capacity of 150,000 kg/d has been chosen for discussion purposes. Table 8 shows that the cost of hydrogen for hydrocarbon based

## **SFA Pacific, Inc.**

feedstock is lower than renewables. For each feedstock, the cost of hydrogen via cryogenic liquid tanker truck delivery pathway is 10%-25% lower than by tube trailer and 15%-30% less than by pipeline. Since the cost of liquid delivery is relatively small (less than 5%), the costs for hydrocarbon based feedstock, production, and fueling account for close to 67% and 33% of the total hydrogen costs, respectively. For renewables (biomass and water), the production cost accounts for 70%-80% of the total hydrogen cost. With high investment costs, the tube trailer and pipeline delivery account for 50% of the total cost.

**SFA Pacific, Inc.**

**Table 8  
Summary of Central Plant Based Hydrogen Costs  
(1,000 kg/d hydrogen)**

Delivery Pathway	Liquid Tanker Truck, \$/kg	Gas Tube Trailer, \$/kg	Pipeline, \$/kg
<b>Natural Gas</b>			
Production	2.21	1.30	1.00
Delivery	0.18	2.09	2.94
Dispensing	<u>1.27</u>	<u>1.00</u>	<u>1.07</u>
Total	3.66	4.39	5.00
<b>Coal</b>			
Production	3.06	2.09	1.62
Delivery	0.18	2.09	2.94
Dispensing	<u>1.27</u>	<u>1.00</u>	<u>1.07</u>
Total	4.51	5.18	5.62
<b>Biomass</b>			
Production	3.53	2.69	2.29
Delivery	0.18	2.09	2.94
Dispensing	<u>1.27</u>	<u>1.00</u>	<u>1.07</u>
Total	4.98	5.77	6.29
<b>Water</b>			
Production	6.17	5.30	5.13
Delivery	0.18	2.09	2.94
Dispensing	<u>1.27</u>	<u>1.00</u>	<u>1.07</u>
Total	7.62	8.39	9.13
<b>Petroleum Coke</b>			
Production			1.35
Delivery			2.94
Dispensing			<u>1.07</u>
Total			5.35
<b>Residue</b>			
Production			1.27
Delivery			2.94
Dispensing			<u>1.07</u>
Total			5.27

Source: SFA Pacific, Inc.

Numerous studies have been conducted to evaluate the economics of using renewable feedstocks to produce energy and fuels. Waste biomass and co-product biomass are very seasonal and have high moisture content, except for field-dried crop residues. As a result, they require more expensive storage and extensive drying before gasification. Furthermore, very limited supplies are available and quantities are not large or consistent enough to make them a viable feedstock for large-scale hydrogen production. Cultivated biomass is the only guaranteed source of biomass feedstock, and as a crop, the yield is relatively low (10 ton/hectare). As a result, large land mass is required to provide a steady supply of feedstock. This dedicated renewable biomass comes at a cost of \$57/bone dry ton (BDT), which includes \$500/hectare/yr and \$7/BTD delivery cost. However, available biomass could supplement other solid feeds to maximize the utilization of the gasification unit. Finally, biomass gasification processes are not effective for pure hydrogen production due to their air-blown operations or a product gas that is high in methane and requires additional reforming to produce hydrogen.

Water is another feedstock commonly referred to as a renewable energy source. Although hydrogen occurs naturally in water, the extraction costs are still considerably higher than conventional hydrocarbon based energy sources.

### ***Hydrogen Handling and Storage***

Purified hydrogen has to be either liquefied for cryogenic tanker trucks or compressed for pipeline or tube trailer delivery to fueling stations.

#### ***Hydrogen Liquefaction***

Liquefaction of hydrogen is a capital and energy intensive option. The battery limit investment is \$700/kg/d for a 100,000 kg/d hydrogen plant, and compressors and brazed aluminum heat exchanger cold boxes account for most of the cost. The total installed capital cost for the liquefier, excluding land and working capital is \$1,015 kg/d, which agrees well with the \$1,125 estimate from Air Products. Multi-stage compression consumes about 10-13 kWh/kg hydrogen.

Gaseous crude hydrogen from the PSA unit undergoes multiple stages of compression and cooling. Nitrogen is used as the refrigerant to about 195°C (-320°F). Ambient hydrogen is a mixture 75% ortho- and 25% para-hydrogen, whereas liquid hydrogen is almost 100% para-hydrogen. Unless ortho-hydrogen is catalytically converted to para-hydrogen before the hydrogen is liquefied, the heat of reaction from the exothermic conversion of ortho-hydrogen to para-hydrogen, which doubles the latent heat of vaporization, would cause excessive boil-off during storage. The liquefier feed from the PSA unit mixes with the compressed hydrogen and enters a series of ortho/para-hydrogen converters before entering the cold end of the liquefier. Further cooling to about -250°C (-420°F) is accomplished in a vacuum cold box with brazed aluminum flat plate cores. The remaining 20% ortho-hydrogen is converted to achieve 99%+ para-hydrogen in this section.

### *Gaseous Hydrogen Compression*

Gaseous hydrogen compressors are major contributors to capital and operating costs. To deliver high-pressure hydrogen, 3-5 stages of compression are required because water-cooled positive-displacement compressors could only achieve 3 compression ratios per stage. Compression requirements depend on the hydrogen production technology and the delivery requirements. For pipeline delivery, the gas is compressed to 75 atmospheres for 30 atmospheres delivery. Higher pressures are used to compensate for frictional loss in pipelines without booster compressors along the pipeline system. The gaseous hydrogen has to be compressed to 215 atmospheres to fill tube trailers. In this study, the unit capital cost is between \$2,000/kW and \$3,000/kW and the power requirement ranged from 0.5 kW/kg/hr to 2.0 kW/kg/hr.

### *Hydrogen Storage*


On-site storage allows continuous hydrogen plant operation in order to achieve higher utilization rates. It is more practical to store large amounts of hydrogen as liquid. At less than \$5/gallon (physical volume) capital cost, liquid hydrogen storage is relatively inexpensive compared to compressed gaseous hydrogen. Table 9 shows that hydrogen is the lowest energy density fuel on earth. It would take 3.73 gallons of liquid hydrogen to provide equivalent energy of one gallon of gasoline. Gaseous hydrogen has to be pressurized for storage. At the base case pressure of 400 atmospheres (6,000 psig), it would require about 8 gallons of gaseous hydrogen to have the same energy content as one gallon of gasoline. The higher the gas pressure, the lower the storage volume needed. However, the tube becomes weight limited as the thickness of the steel wall increases to prevent embrittlement (cracking caused by hydrogen migrating into the metal).

**Table 9**  
**Density of Vehicle Fuel**

<u>Fuel Type</u>	<u>Density (kg/l)</u>
Compressed Hydrogen	0.016
Gasoline	0.8
Methanol	0.72

Figure 3 shows how the cost of gaseous storage tubes increases with pressure. The cost could increase from less than \$400/kg hydrogen at 140 atmospheres to \$2100/kg hydrogen at 540 atmospheres. Companies such as Lincoln Composites and Quantum Technologies are developing new synthetic materials to withstand high pressures at a larger range of temperatures.

**Figure 3**  
**Hydrogen Storage Container Costs**




Source: SFA Pacific, Inc.

### ***Hydrogen Distribution***

This study includes three hydrogen distribution pathways: cryogenic liquid trucks, compressed tube trailers, and gaseous pipelines. Figure 4 shows that each option has a distinct range of practical application.

**Figure 4**  
**Hydrogen Distribution Options**



Source: Air Products.

## SFA Pacific, Inc.

A combination of these three options could be used during various stages of hydrogen fuel market development.

- Tube trailers could be used during the initial introductory period because the demand probably will be relatively small and it would avoid the boil-off incurred with liquid hydrogen storage.
- Cryogenic tanker trucks could haul larger quantities than tube trailers to meet the demands of growing markets.
- Pipelines could be strategically placed to transport hydrogen to high demand areas as more production capacities are placed on-line.

### *Road Delivery (Tanker Trucks and Tube Trailers)*

Based on the assumptions shown in Table 10, the cost of liquid tanker truck delivery is about 10% of tube trailer delivery (\$0.18/kg vs. \$2.09/kg).

**Table 10**  
**Road Hydrogen Delivery Assumptions**

	<u>Cryogenic Truck</u>	<u>Tube Trailer</u>
Load, kg	4,000	300
Net delivery, kg	4,000	250
Load/unload, hr/trip	4	2
Boil-off rate, %/day	0.3	na
Truck utilization rate, %	80	80
Truck/tube, \$/module	450,000	100,000
Undercarriage, \$	60,000	60,000
Cab, \$	90,000	90,000

Source: SFA Pacific, Inc.

Delivery by cryogenic liquid hydrogen tankers is the most economical pathway for medium market penetration. They could transport relatively large amounts of hydrogen and reach markets located throughout large geographic areas. Tube trailers are better suited for relatively small market demand and the higher costs of delivery could compensate for losses due to liquid boil-off during storage. However, high-pressure tube trailers are limited to meeting small hydrogen demands. Typically, the tube-to-hydrogen weight ratio is about 100-150:1. A combination of low gaseous hydrogen density and the weight of thick wall, high quality steel tubes (80,000 pounds or 36,000 kilograms) limit each load to 300 kilograms of hydrogen. In reality, only 75%-85% of each load is dispensable, depending on the dispensing compressor configuration. Unlike tanker trucks that discharge their load, the tube and undercarriage are disconnected from the cab and left at the fueling station. Tube trailers are used not only as transport container, but also as on-site

storage. As a result, the total number of tubes provided equals the number of tubes left at the fueling stations and those at the central plants to be picked up by the returning cabs.

Liquid hydrogen flows into and out of the tanker truck by gravity and it takes about two hours to load and unload the contents. SFA Pacific estimates the physical delivery distance for truck/trailers is 40% longer than the assumed average distance of 150 kilometers between the central facility and fueling stations.

### ***Pipeline Delivery***

Pipelines are most effective for handling large flows. They are best suited for short distance delivery because pipelines are capital intensive (\$0.5 to \$1.5 million/mile). Much of the cost is associated with acquiring right-of-way. Currently, there are 10,000 miles of hydrogen pipelines in the world. At 250 miles, the longest hydrogen pipeline connects Antwerp and Normandy.

Operating costs for pipelines are relatively low. To deliver hydrogen to the fueling stations at 30 atmospheres, the pressure drop could be compensated with either booster compressors or by compressing the hydrogen at the central plant. In this study, the pipeline investment is based on four pipelines radiating from the central plant.

### ***Hydrogen Fueling Station***

The conceptual hydrogen fueling station for this study is designed based on equivalent conventional internal combustion engine (ICE) requirements as shown in Table 11.

**Table 11  
Assumed FC Vehicle Requirements**

	<u>ICE-gasoline</u>	<u>FC requirement</u>
Vehicle mileage	23 km/liter	23 km/liter
Vehicle annual mileage	12,000 miles	218 kg H <sub>2</sub> or 12,000 miles
Fuel sales per station	150,000 gal/month	10,000 kg H <sub>2</sub> /month or 10,000 gal gasoline equivalent

Source: SFA Pacific, Inc.

Table 12 shows that the key fueling station design parameters. At a 70% operating rate, each service station dispenses about 329 kg/d, assuming a daily average of 4.0 kg per fill-up and five fill-ups an hour. Each fueling hose is sized to meet daily peak demand.




**Table 12**  
**Fueling Dispenser Design Basis**

Design capacity	470 kg/d
Operating rate	70%
Operating capacity	329 kg/d
Number of dispenser	2
Average fill-up rate	4 kg
Average number of fill-up	5 /hr
Peak fill-up rate (3 times daily average)	48 kg/hr
Dispensing pressure, psig	6,000

Source: SFA Pacific, Inc.

Sizing hydrogen dispensers is no different than sizing gasoline dispensers; they must be designed to meet peak demands. As shown in Figure 5, the peak demand could be triple that of the daily average.

**Figure 5**  
**Fueling Station Dispensing Utilization Profile**



Source: Praxair.

This study developed analyses for two types of high-pressure gaseous fueling stations: one to handle liquid based hydrogen and the other for gaseous hydrogen. Components handling compressed hydrogen (6,000 psig) are the same regardless of the form of hydrogen delivered to the fueling station. Since positive displacement pumps and compressors cannot provide instantaneous load or meet the high-rate demand for dispensing hydrogen directly to FC vehicles, each filling station is provided with three hours of peak demand high-pressure hydrogen buffer storage. The dispenser meters the hydrogen into a FC vehicle fitted with 5,000 psig cylinders.

### *Liquid Hydrogen Based Fueling*

Liquid hydrogen from storage (15,000 gallons) is pressurized to 6,000 psig with variable speed reciprocating positive displacement pumps. An ambient or natural convection vaporizer, which uses ambient air and condensed water to supply the heat requirement for vaporizing and warming the high-pressure gas, does not incur additional utility costs.


### *Gaseous Hydrogen Based Fueling*

Gaseous hydrogen could be delivered either by pipeline at 30 atmospheres or by tube trailer at 215 atmospheres to the fueling station. To minimize the high cost of hydrogen storage, both pipeline and tube trailer gases are compressed to 6,000 psig and held in a buffer storage. Two other possible options (multi-stage cascade system and booster system) require considerably more expensive hydrogen storage.

### **Forecourt Hydrogen Production**

Forecourt production pathways were developed to evaluate the potential economic advantages of placing small modular units at fueling stations to avoid the initial investment of under utilized large central facilities and delivery infrastructures. The forecourt hydrogen facility is sized to supply and dispense the same amount of hydrogen as each fueling station in the central plant pathways. Each unit is designed to produce 470 kg/d of hydrogen with a 70% utilization rate. Figure 6 shows that forecourt hydrogen production is a self-contained operation. Ideally, hydrogen is compressed to 400 atmospheres (6,000 psig) after purification and dispensed directly into the FC vehicle with 340 atmosphere (5,000 psig) cylinders.

**Figure 6**  
**Forecourt Hydrogen Production Pathways**



Source: SFA Pacific, Inc.

Table 13 lists commercial rates for feedstocks and power. The commercial rates charged to small local service stations are consistently 50%-70% higher than industrial rates for large production plants. Natural gas delivered to forecourt costs 70% more than that delivered to a central facility (\$6/million Btu vs. \$3.5/million Btu) and the power cost is 55% higher (7¢/kWh vs. 4.5¢/kWh). Often, proponents of a hydrogen economy provide cost estimates based on off-peak power rates (~\$0.04/kWh). Off-peak is only available for 12 hours, after which the forecourt would be charged with peak rates (\$0.09/kWh). To circumvent peak power rates, forecourt plants have to

be built with oversized units operated at low utilization rates with large amounts of storage. This option would require considerable additional capital investment.

Instead of developing a complete production and delivery infrastructure for methanol, this evaluation uses market prices for methanol. Methanol prices are based on current supplies to chemical markets, and distribution costs per gallon of methanol are twice that of gasoline per gallon or four times that of gasoline on an energy basis.

**Table 13**  
**Forecourt Hydrogen Production Feedstock and Utility Costs**

	Unit Cost
Natural gas (commercial)	\$5.5/MMBtu HHV
Electricity (commercial)	\$0.07/kW
Methanol	\$7.0/MMBtu HHV
Gasoline	\$6.0/MMBtu HHV

Source: Annual Energy Outlook 2002 Reference Case Tables, EIA.  
Current Methanol Price, Methanex, February, 2002.

Table 14 shows that the costs for forecourt production of hydrogen from hydrocarbon based feedstocks are within 10%-15% of each other, ranging from \$4.40/kg to \$5.00/kg hydrogen. The cost for electrolysis based hydrogen is two to three times that of the other three feedstocks. The high cost of electrolytic hydrogen is attributable to high power usage and high capital costs—electricity and capital charges account for 30% and 50% of the total cost, respectively.

**Table 14**  
**Summary of Forecourt Hydrogen Costs**  
**(470 kg/d Hydrogen)**

Feedstock	\$/kg
Methanol	4.53
Natural Gas	4.40
Gasoline	5.00
Water	12.12

Source: SFA Pacific, Inc.

For the two feedstocks common to both the central and forecourt plant, Table 15 shows that the lower infrastructure requirements of forecourt production do not compensate for the higher operating costs.

**Table 15**  
**Hydrogen Costs: Central Plant vs. Forecourt**  
**(\$/kg Hydrogen)**

	Central Plant <sup>a</sup>	Forecourt
Natural Gas	3.66	4.40
Water	7.62	12.12

<sup>a</sup> Liquid hydrogen delivery pathway.

Source: SFA Pacific, Inc.

The proposed option of utilizing the hydrogen produced at the forecourt to fuel on-site power generation during initial low hydrogen demand does not make economic sense. Excluding the high capital cost of fuel cell power generation and commercial scale grid connections for exporting electricity, the marginal load dispatch cost of power alone would make this strategy non-competitive. As a result, this pathway was eliminated from our analysis during the kick-off meeting on January 23, 2002.

## Sensitivity

SFA Pacific developed a 700 atmospheres (10,000 psig) FC vehicle sensitivity case. This ultra high pressure would allow the vehicle to meet ICE vehicle standards (equal or greater distance between fill ups). Similarly detailed worksheets for the ultra high-pressure case are presented in Appendix B.

Between 1920 and 1950, the process industry had extensive commercial operating experience with 10,000 psig operation in ammonia synthesis and the German coal hydrogenations plants. Improvements in catalytic activity had lowered the operating pressures for these processes, which in turn significantly reduced capital and operating costs. Even though there is less demand for equipment to handle very high-pressure hydrogen, several companies still manufacture ultra high-pressure compressors and vessels. The cost of hydrogen compressors capable of handling 875 atmospheres (13,000 psig) is significantly more than the base case (\$4,000/kW vs. \$3,000/kW). The higher cost could be attributed mostly to expensive premium-steels to avoid hydrogen stress cracking at ultra high pressures. However, data on these costs are not readily available and are also inconsistent due to the lack of common use, small sizes, and the special fabrication requirements. Until a time when composite material becomes economically viable for high-pressure storage, it is may be best to develop the fueling infrastructure for 5,000 psig FC vehicle cylinders.

## Special Acknowledgement

SFA Pacific would like to express our gratitude to the following three industrial gas companies for their insightful discussion and comments after reviewing our draft cost estimates for the hydrogen production, delivery, and dispensing infrastructure.

Air Products and Chemicals  
BOC  
Praxair

## References

1. C.E. Thomas et al, "Hydrogen Infrastructure Report Prepared for The Ford Motor Company," July 1997.
2. R.B. Moore and V. Raman, "Hydrogen Infrastructure for Fuel Cell Transportation," *International Journal of Hydrogen Energy*, Vol. 23, No. 7, pp. 617-620, 1998.

## General

1. Hydrogen Infrastructure Report, prepared by the Ford Motor Company, DOE Contract No. DE-A-CO2-94CE50389, July 1997.

## Gasification

1. D. Simbeck, "A Portfolio Selection Approach for Power Plant CO<sub>2</sub>, Capture, Separation and R&D Options," Fourth International Conference on Greenhouse Gas Control Technologies (GHGT-4), Interlaken, Switzerland, September 1, 1998.
2. "Coal Gasification Guidebook: Status, Applications, and Technologies," EPRI TR-102034, Final Report December 1993.
3. "Biopower: Biomass and Waste-Fired Power Plant Performance and Cost Model, Version 1.0," EPRI TR-102774, Final Report March 1995.
4. F. Fong (Texaco), "Texaco's HyTEX Process for High Pressure Hydrogen Production," presented at the KTI Symposium, Caracas, Venezuela, April 27, 1993.
5. W.F. Fong and L.F. O'Keefe (Texaco), "Syngas Generation From Natural Gas Utilizing the Texaco Gasification Process," presented at the 1996 NPRA Annual Meeting, San Antonio, Texas, March 17-19, 1996.
6. J.S. Falsetti (Texaco), "Gasification Process for Maximizing Refinery Profitability," *Hydrocarbon Technology International 1993*, published by Sterling Publications Limited.
7. "Texaco Gasification Process for Gaseous or Liquid Feedstocks," Texaco Development Corporation brochure, 1993.
8. N. Hauser (Shell) and C. Higman (Lurgi), "The Use of the Shell Gasification Process (SGP) in Refining Heavy Crude and Tar Sands," presented at the Sixth UNITAR

## SFA Pacific, Inc.

International Conference on Heavy Crude and Tar Sands, Edmonton, Alberta, Canada, February 16, 1995.

9. "Texaco Gasification Process for Solid Feedstocks," Texaco Development Corporation brochure, 1993.
10. P.F. Curran and K.A. Simonsen (Texaco), "Gasification of Mixed Plastic Waste," presented at 8th Annual Recycling Plastic Conference, Washington, D.C., June 1993.
11. D.R. Simbeck and A.D. Karp (SFA Pacific), "Air-Blown Versus Oxygen-Blown Gasification," presented at the Institution of Chemical Engineers' Conference, "Gasification: An Alternative to Natural Gas," London, England, November 22-23, 1995.

### **Large Steam Methane Reforming**

1. J.N. Gøl and I. Dybkjaer (Haldor Topsøe), "Options for Hydrogen Production," *HTI Quarterly*, Summer 1995.
2. R. Vannby and C. Stub Nielsen (Haldor Topsøe) and J.S. Kim (Samsung-BP Chemicals), "Operating Experience in Advanced Steam Reforming," presented at the Symposium on Large Chemical Plants, Antwerp, Belgium, October 12-14, 1992.
3. "Catalyst components Team Up for the Shift-gas Reaction," *Chemical Engineering*, September 1995, p. 23.
4. "Carbides Catalyze Methane Reforming," *Chemical & Engineering News*, January 13, 1997, p. 5.
5. A.P.E. York, J.B. Claridge, C. Marquez-Alvarez, A.J. Brungs, and M.L.H. Green (Oxford University Catalysis Centre), "Group (V) and (VI) Transition Metal Carbides as New Catalysts for the Reforming of Methane to Synthesis Gas," presented at ACS National Meeting, San Francisco, California, April 13-17, 1997.
6. N.R. Udengaard and J-H Bak Hansen (Haldor Topsøe) and D.C. Hanson and J.A. Stal (Sterling Chemicals), "Sulfur Passivated Reforming Process Lowers Syngas H<sub>2</sub>/CO Ratio," *Oil & Gas Journal*, March 9, 1992, pp. 62-67.
7. B.J. Cromarty (ICI Katalco), "How to Get the Most Out of Your Existing Refinery Hydrogen Plant," presented at the AIChE Spring National Meeting, Houston, Texas, March 9-13, 1997.
8. J.B. Abbishaw and B.J. Cromarty (ICI Katalco), "New Reforming Technology for the Hydrogen Industry," Company Brochure (undated).
9. R.V. Schneider and G. Joshi (M.W. Kellogg), "Reforming Exchanger System for Large-scale Methanol Plants," *Petroleum Technology Quarterly*, Summer 1997, pp. 85-91.

**SFA Pacific, Inc.**

10. I. Dybkjaer and J.N. Gøl (Haldor Topsøe) and D. Cieutat and R. Eyguessier (Air Liquide), "Medium Size Hydrogen Supply Using the Topsøe Convection Reformer," presented at the 1997 NPRA Annual Meeting, San Antonio, Texas, March 16-18, 1997.
11. U.S. Department of Energy, personal communication, May 1997.
12. B.T. Carvill, J.R. Hufton, M. Anand, and S. Sircar (APCI), "Sorption-Enhanced Reaction Process," *AIChE Journal*, Vol. 42, No. 10, October 1996, pp. 2765-2772.
13. E. Kikuchi, "Hydrogen-permselective Membrane Reactors," *Cattech*, March 1997, pp. 67-74.
14. R.W. Morse, P.W. Vance and W.J. Novak (Acreon Catalysts) and J.P. Franck and J.C. Plumail (Procatalyse), "Improved Reformer Yield and Hydrogen Selectivity with Tri-metallic Catalyst," presented at the 1995 NPRA Annual Meeting, San Francisco, California, May 19-21, 1995.
15. A.K. Rhodes, "Catalyst Suppliers Consolidate Further, Offer More Catalysts," *Oil and Gas Journal*, October 2, 1995, p. 37.
16. "Refining Processes '96," *Hydrocarbon Processing*, November 1996, pp. 96-98.
17. S. Ratan (KTI), "Flexibility of 'On-Purpose' Hydrogen Generation in Refineries," presented at AIChE Spring meeting, Houston, Texas, March 9-13, 1997.
18. B.J. Cromarty, K. Chlapik, and D.J. Ciancio (ICI Katalco), "The Application of Prereforming Technology in the Production of Hydrogen," presented at the 1993 NPRA Annual Meeting, San Antonio, Texas, March 21-23, 1997.
19. I. Dybkjaer, "Tubular Reforming and Autothermal Reforming of Natural Gas - An Overview of Available Processes," *Fuel Processing Technology*, Vol. 42, pp. 85-107, 1995.
20. "Autothermal Catalytic Reforming," company brochure, Lurgi Öl Gas Chemie GmbH, 1994.
21. Krupp Uhde GmbH, "CAR - A Modern Gas Generation Unit," report on Combined Autothermal Reforming provided to SFA Pacific by (undated).
22. H. Göhna (Lurgi), "Low-cost Routes to Higher Methanol Capacity," *Nitrogen*, No. 224, November/December 1996.
23. T.S. Christensen and I.I. Primdahl (Haldor Topsøe), "Improve syngas production using autothermal reforming," *Hydrocarbon Processing*, March 1994, pp. 39-46.

**SFA Pacific, Inc.**

24. M. Schwartz, J.H. White, M.G. Myers, S. Deych, and A.F. Sammells (Eltron Research), "The Use of Ceramic Membrane Reactors for the Partial Oxidation of Methane to Synthesis Gas," presented to the ACS National Meeting, San Francisco, California, April 13-17, 1997.
25. C.A. Udovich et al. (Amoco) and U. Balachandran et al. (Argonne National Laboratory), "Ceramic Membrane Reactor for the Partial Oxygenation of Methane to Synthesis Gas," presented to the AIChE Spring National Meeting, Houston, Texas, March 9-13, 1997.
26. *Hydrogen: Manufacture and Management*, a private multiclient-sponsored report, SFA Pacific, Inc., December 1991.
27. "Small-Scale Partial Oxidation Reformer Offered for Hydrogen Production," *The Clean Fuels Report*, June 1996, p. 149.
28. B.M. Tindal and M.A. Crews (Howe-Baker), "Alternative Technologies to Steam-Methane Reforming," *Hydrocarbon Processing*, November 1995, pp. 75-82.
29. B.J. Cromarty (ICI Katalco), "How to Get the Most Out of Your Existing Refinery Hydrogen Plant," presented to the AIChE Spring National Meeting, Houston, Texas, March 9-13, 1997.
30. G.Q. Miller (UOP) and J. Stoecker (Union Carbide), "Selection of a Hydrogen Separation Process," paper AM-89-55 presented at the 1989 NPRA Annual Meeting, San Francisco, California, March 19-21, 1989.
31. T.R. Tomlinson and A.J. Finn (Costain Engineering), "H<sub>2</sub> Recovery Processes Compared," *Oil & Gas Journal*, January 15, 1990, pp. 35-39.
32. E.J. Hoffman et al., "Membrane Separations of Subquality Natural Gas," *Energy Progress*, March 1988, pp. 5-13.
33. W.S.W. Ho and K.K. Sirkar (Eds.), *Membrane Handbook*, Van Nostrand Reinhold, 1992.
34. R.W. Spillman (W.R. Grace), "Economics of Gas Separation Membranes," *Chemical Engineering Progress*, January 1989, pp. 41-62.
35. G. Markiewicz (APCI), "Membrane System Lowers Treating Plant Cost," *Oil & Gas Journal*, October 31, 1988, pp. 71-73.
36. U.S. Department of Energy, *Membrane Separation Systems, A Research Needs Assessment*, DE 90-011770, April 1990.
37. "Membrane Uses 'Reverse Logic' for Hydrogen Recovery," *Chemical Engineering*, January 1997, p. 15.



38. M.V. Narasimhan (KTI), M. Whysall (UOP), and B. Pacalowska (Petrochemia Plock), "Design Considerations for a Hydrogen Recovery Scheme from Refinery Offgases," presented at AIChE Spring National Meeting, Houston, Texas, March 9-13, 1997.

### ***Small Steam Methane Reforming***

1. D.L. King & C.E. Bochow, Jr. (Howe-Baker Engineers, Inc.), "What should an owner/operator know when choosing an SMR/PSA plant?" *Hydrocarbon Processing*, May 2000, pp. 39-48.
2. Phillip Morris and William Baade (Air Products & Chemicals, Inc.), "Outsourcing Hydrogen," *Hydrocarbon Engineering*, February 2001, pp. 75-82.
3. Howe-Baker brochure, "Hydrogen Steam Reforming Technology for Hydrogen Plants."
4. Ib Dybhjaer, et al (Haldor Topsøe), "Medium Size Hydrogen Supply Using the Topsøe Convection Reformer," Paper AM-97-18, NPRA Annual Meeting, San Antonio, TX, March 16-18, 1997.
5. Olimpia Loiacono (Technip - KTI), "Consuming Hydrogen," *Hydrocarbon Engineering*, November 2001, pp. 45-50.
6. Air Products and Chemicals, Inc., 1998, from Internet 1/16/01.
7. Hydro-Chem, a Division of Pro-Quip Corporation (Linde Group), "Hydro-Chem Modular Hydrogen Plants," from Internet 12/14/01.
8. David Cepla, Fuel Processor Group, UOP LLC, Des Plaines, IL, (847) 391-3534, January 22, 2002.
9. Hydrogen Burner Technology, Long Beach, CA, (562) 597-2442, January 18, 2002 and [www.hbti.net](http://www.hbti.net).
10. Sandy Thomas, H<sub>2</sub>Gen Innovations Inc., Alexandria, VA, (703) 212-7444, December 7, 2001 and [www.h2gen.com](http://www.h2gen.com).
11. "ZTEK Prepackaged Steam Reformer," [www.ztekc corp.com/ztekreformer](http://www.ztekc corp.com/ztekreformer).
12. R.E. Stoll and F. von Linde, "Hydrogen—What are the Costs?" *Hydrocarbon Processing*, December 2000, pp. 42-46.
13. "Fuel Cells—Progressing, But Far From Proven or Economical," *The SFA Quarterly Report*, Fourth Quarter 2000.

### ***Electrolysis***

1. M.N. Tazima, et. al. "Development on Solid Polymer Electrolyte Water Electrolysis Technonogy for High Density and Energy Efficiency," Mitsubishi Heavy Industries
2. Packaged Hydrogen Generators, Electrolyser Corp.
3. The IMET Package, [www.hydrogensystems.com](http://www.hydrogensystems.com)
4. Personal Contact, Air Products

### ***Pipeline***

1. “Transportation and Handling of Medium Btu Gas in Pipelines,” EPRI AP-3426, Final Report, March 1984.
2. “Pipeline Transmission of CO<sub>2</sub> and Energy Transmission Study-Report,” IEA Greenhouse Gas R&D Programme, Woodhill Engineering Consultants.

### ***High Pressure Storage***

1. Andrew Haaland, “High Pressure Conformable Hydrogen Storage for Fuel Cell Vehicles,” Preceding of the 2000 Hydrogen Program Review.
2. “Fill’er Up-With Hydrogen,” Mechanical Engineering, Features, February 2002, [www.memagazine.org](http://www.memagazine.org).
3. “Lincoln Composites Delivers High Pressure Hydrogen Tanks,” <http://www.lincolncomposites.com/>
4. S.M. Aceves et. al, “Low Temperature and High Pressure Evaluation of Insulated Pressure Vessels for Cryogenic Hydrogen Storage,” Proceeding of the 2000 Hydrogen Program Review, NREL/CP-570-28890.

### ***High Pressure Compression***

1. Robert Chellini, “12,000 Hp Hydrogen Compressors Enhance Reformulated Gasoline Production in California,” Compressor Tech. May-June 2001.
2. Hydro-Pack Brochure.

### ***Delivery***

1. Wade A. Amos, “Cost of Storing and Transporting Hydrogen,” November 1998, NREL/TP-570-25106.
2. Susan M. Schoenung, “IEA Hydrogen Annex 13 Transportation Applications Analysis,” Proceedings of 2001 DOE Hydrogen Program Review.

# Appendix A

## **Complete Set of Spreadsheet**

## **For Base Case Input**

## Summary of Natural Gas Based Hydrogen Production

Final Version June 2002

<b>Design hydrogen production</b>	<b>150,000</b>	kg/d H2 and	<b>90%</b>	Annual ave. load factor
<b>Supporting</b>	<b>225,844</b>	FC Vehicles at	<b>411</b>	Filling station
<b>Hydrogen per filling station</b>	<b>10,000</b>	kg/mo H2 or	<b>329</b>	kg/d H2

<b>Capital Investment</b>	Liquid H2 Million \$/yr	Pipeline Million \$/yr	Tube Trailer Million \$/yr
H2 production	230	79	133
H2 delivery	13	603	141
H2 fueling	279	212	212
<b>Total</b>	<b>522</b>	<b>894</b>	<b>486</b>

<b>Annual Operating Costs</b>	Liquid H2 \$ million/yr	Pipeline \$ million/yr	Tube Trailer \$ million/yr
H2 production	109	49	64
H2 delivery	9	145	103
H2 fueling	63	53	49
<b>Total</b>	<b>180</b>	<b>246</b>	<b>216</b>

### Unit H2 Cost in \$/kg which is the same as \$/gallon gasoline energy equivalent

	Liquid H2 \$/kg	Pipeline \$/kg	Tube Trailer \$/kg	Forecourt \$/kg
H2 production	2.21	1.00	1.30	
H2 delivery	0.18	2.94	2.09	
H2 fueling	1.27	1.07	1.00	
<b>Total</b>	<b>3.66</b>	<b>5.00</b>	<b>4.39</b>	<b>4.40</b>

Source: SFA Pacific, Inc.

## Summary of Resid Hydrogen Production

Final Version June 2002

<b>Design hydrogen production</b>	<b>150,000</b>	kg/d H2 and	<b>90%</b>	Annual ave. load factor
<b>Supporting</b>	<b>225,844</b>	FC Vehicles at	<b>411</b>	Filling station
<b>Hydrogen per filling station</b>	<b>10,000</b>	kg/mo H2 or	<b>329</b>	kg/d H2

<b>Capital Investment</b>	Pipeline
	Million \$/yr
H2 production	185
H2 delivery	603
H2 fueling	212
	<b>1,000</b>

<b>Annual Operating Costs</b>	Pipeline
	\$ million/yr
H2 production	62
H2 delivery	145
H2 fueling	53
	<b>260</b>

### Unit H2 Cost in \$/kg which is the same as \$/gallon gasoline energy equivalent

	Pipeline
	\$/kg
H2 production	1.27
H2 delivery	2.94
H2 fueling	1.07
	<b>5.27</b>

Source: SFA Pacific, Inc.

## Summary of Petroleum Coke Based Hydrogen Production

Final Version June 2002

<b>Design hydrogen production</b>	<b>150,000</b>	kg/d H2 and	<b>90%</b>	Annual ave. load factor
<b>Supporting</b>	<b>225,844</b>	FC Vehicles at	<b>411</b>	Filling station
<b>Hydrogen per filling station</b>	<b>10,000</b>	kg/mo H2 or	<b>329</b>	kg/d H2

<b>Capital Investment</b>	Pipeline Million \$/yr
H2 production	238
H2 delivery	603
H2 fueling	212
Total	<b>1,053</b>

<b>Annual Operating Costs</b>	Pipeline \$ million/yr
H2 production	66
H2 delivery	145
H2 fueling	53
Total	<b>264</b>

### Unit H2 Cost in \$/kg which is the same as \$/gallon gasoline energy equivalent

	Pipeline \$/kg
H2 production	1.35
H2 delivery	2.94
H2 fueling	1.07
Total	<b>5.35</b>

Source: SFA Pacific, Inc.

## Summary of Coal Based Hydrogen Production

Final Version June 2002

<b>Design hydrogen production</b>	<b>150,000</b>	kg/d H2 and	<b>90%</b>	Annual ave. load factor
<b>Supporting</b>	<b>225,844</b>	FC Vehicles at	<b>411</b>	Filling station
<b>Hydrogen per filling station</b>	<b>10,000</b>	kg/mo H2 or	<b>329</b>	kg/d H2

<b>Capital Investment</b>	Liquid H2 Million \$/yr	Pipeline Million \$/yr	Tube Trailer Million \$/yr
H2 production	448	259	339
H2 delivery	13	603	141
H2 fueling	279	212	212
	<b>740</b>	<b>1,074</b>	<b>692</b>

<b>Annual Operating Costs</b>	Liquid H2 \$ million/yr	Pipeline \$ million/yr	Tube Trailer \$ million/yr
H2 production	151	80	103
H2 delivery	9	145	103
H2 fueling	63	53	49
Total	<b>222</b>	<b>277</b>	<b>255</b>

### Unit H2 Cost in \$/kg which is the same as \$/gallon gasoline energy equivalent

	Liquid H2 \$/kg	Pipeline \$/kg	Tube Trailer \$/kg
H2 production	3.06	1.62	2.09
H2 delivery	0.18	2.94	2.09
H2 fueling	1.27	1.07	1.00
Total	<b>4.51</b>	<b>5.62</b>	<b>5.18</b>

Source: SFA Pacific, Inc.

## Summary of Biomass Based Hydrogen Production

Final Version June 2002

<b>Design hydrogen production</b>	<b>150,000</b>	kg/d H2 and	<b>90%</b>	Annual ave. load factor
<b>Supporting</b>	<b>225,844</b>	FC Vehicles at	<b>411</b>	Filling station
<b>Hydrogen per filling station</b>	<b>10,000</b>	kg/mo H2 or	<b>329</b>	kg/d H2

<b>Capital Investment</b>	Liquid H2 Million \$/yr	Pipeline Million \$/yr	Tube Trailer Million \$/yr
H2 production	452	295	362
H2 delivery	13	603	141
H2 fueling	279	212	212
	<b>744</b>	<b>1,110</b>	<b>715</b>

<b>Annual Operating Costs</b>	Liquid H2 \$ million/yr	Pipeline \$ million/yr	Tube Trailer \$ million/yr
H2 production	174	113	132
H2 delivery	9	145	103
H2 fueling	63	53	49
Total	246	310	284

### Unit H2 Cost in \$/kg which is the same as \$/gallon gasoline energy equivalent

	Liquid H2 \$/kg	Pipeline \$/kg	Tube Trailer \$/kg
H2 production	3.53	2.29	2.69
H2 delivery	0.18	2.94	2.09
H2 fueling	1.27	1.07	1.00
Total	<b>4.98</b>	<b>6.29</b>	<b>5.77</b>

Source: SFA Pacific, Inc.



## Summary of Electrolysis Based Hydrogen Production

Final Version June 2002

<b>Design hydrogen production</b>	<b>150,000</b>	kg/d H2 and	<b>90%</b>	Annual ave. load factor
<b>Supporting</b>	<b>225,844</b>	FC Vehicles at	<b>411</b>	Filling station
<b>Hydrogen per filling station</b>	<b>10,000</b>	kg/mo H2 or	<b>329</b>	kg/d H2

<b>Capital Investment</b>	Liquid H2 Million \$/yr	Pipeline Million \$/yr	Tube Trailer Million \$/yr
H2 production	688	566	602
H2 delivery	13	603	141
H2 fueling	279	212	212
<b>Total</b>	<b>980</b>	<b>1,382</b>	<b>955</b>

<b>Annual Operating Costs</b>	Liquid H2 \$ million/yr	Pipeline \$ million/yr	Tube Trailer \$ million/yr
H2 production	304	253	261
H2 delivery	9	145	103
H2 fueling	63	53	49
<b>Total</b>	<b>376</b>	<b>450</b>	<b>413</b>

### Unit H2 Cost in \$/kg which is the same as \$/gallon gasoline energy equivalent

	Liquid H2 \$/kg	Pipeline \$/kg	Tube Trailer \$/kg	Forecourt \$/kg
H2 production	6.17	5.13	5.30	
H2 delivery	0.18	2.94	2.09	
H2 fueling	1.27	1.07	1.00	
<b>Total</b>	<b>7.62</b>	<b>9.13</b>	<b>8.39</b>	<b>12.12</b>

Source: SFA Pacific, Inc.

## Forecourt Summary of Inputs and Outputs

Final Version June 2002

**Inputs**  
design basis

**Boxed in yellow** are the key input variables you must choose, current inputs are just an example

Key Variables Inputs	Notes
<b>Hydrogen Production Inputs</b>	
Design hydrogen production	<b>470 kg/d H2</b> 194,815 scf/d H2 100 to 10,000 kg/d range for forecourt
Annual average load factor	<b>70%</b> /yr of design 10,007 kg/month actual or 120,085 kg/yr actual
High pressure H2 storage	<b>3</b> hr at peak surge rate "plug & play" 24 hr process unit replacements for availability
FC Vehicle gasoline equiv mileage	<b>55</b> mpg (U.S. gallons) or 23 km/liter 329 kg/d average
FC Vehicle miles per year	<b>12,000</b> mile/yr thereby requires 218 kg/yr H2 for each FC vehicle
<b>Capital Cost Buildup Inputs from process unit costs</b>	
General Facilities	<b>20%</b> of process units 20-40% typical, should be low for small forecourt
Engineering, Permitting & Startup	<b>10%</b> of process units 10-20% typical, assume low eng. of multiple standard designs
Contingencies	<b>10%</b> of process units 10-20% typical, should be low after the first few
Working Capital, Land & Misc.	<b>9%</b> of process units 5-10% typical, high land costs for forecourt
Site specific factor	<b>110%</b> above US Gulf Coast 90-130% typical; sales tax, labor rates & weather issues
<b>Product Cost Buildup Inputs</b>	
Road tax or (subsidy)	<b>\$ -</b> /gal gasoline equivalent may need subsidy like EtOH to get it going
Gas Station mark-up	<b>\$ -</b> /gal gasoline equivalent may be needed if H2 sales drops total station revenues
Non-fuel Variable O&M	<b>1.0%</b> /yr of capital 0.5-1.5% is typical
<b>Fuels</b> Methanol	<b>\$ 7.15</b> /MM Btu HHV \$7-9/MM Btu typical chemical grade delivered rate
Natural Gas	<b>\$ 5.50</b> /MM Btu HHV \$4-7/MM Btu typical <b>commercial</b> rate, see www.eia.doe.gov
Gasoline	<b>\$ 6.60</b> /MM Btu HHV \$5-7/MM Btu typical tax free rate go to www.eia.doe.gov
Electricity	<b>\$ 0.070</b> /kWh \$0.06-.09/kWh typical <b>commercial</b> rate, see www.eia.doe.gov
Fixed Operating Cost	<b>5.0%</b> /yr of capital 4-7% typical for refiners: labor, overhead, insurance, taxes, G&A
Capital Charges	<b>18.0%</b> /yr of capital 20-25%/yr CC typical for refiners & 14-20%/yr CC for utilities
	20%/yr CC is about 12% IRR DCF on 100% equity where as 15%/yr CC is about 12% IRR DCF on 50% equity & debt at 7%

**Outputs** 329 kg/d H2 that supports 550 FC vehicles or 10,007 kg/month for this station  
actual annual average 79 fill-ups/d if 1 fill-up/week @ 4.2 kg/fill-up

Case No.	Des	Capital Costs			Operating Cost		Product Costs	
		Absolute \$ millions	Unit cost design rate \$/scf/d H2	Unit cost design rate \$ kg/d H2	Fixed Unit cost \$/kg H2	Variable Unit cost \$/kg H2	Unit cost \$/kg H2	Including capital charges e
F1	Methanol Reforming	1.57	8.08	3,350	0.66	1.51	4.53	same as \$/gal gaso equiv into vehicles at 340 atm
F2	Natural Gas Reforming	1.63	8.35	3,460	0.68	1.28	4.40	into vehicles at 340 atm
F3	Gasoline Reforming	1.78	9.14	3,789	0.74	1.59	5.00	into vehicles at 340 atm
F4	Water Electrolysis	4.15	21.28	8,821	1.73	4.18	12.12	into vehicles at 340 atm

Click on specific Excel worksheet tabs below for details of cost buildups for each case

Source: SFA Pacific, Inc.


# Path F1

## Forecourt Hydrogen via Steam Reformer of Methanol plus High Pressure Gas Storage

Final Version June 2002

Color codes **variables** via **summary inputs** key outputs

Design per station		Design LHV energy equivalent				Assuming		gasoline equivalent	
Hydrogen	gasoline	million	million	million	million	Assuming	Assuming	55	12,000
Size range	kg/d H2	gal/d	Btu/hr	scf/d H2	MW t	actual H2	70%	mpg and	mile/yr
Maximum	10,000	10,000	47,422	4,145,000	13.894	120,085	Annual average load factor		
<b>This run</b>	<b>470</b>	<b>470</b>	<b>2,229</b>	<b>194,815</b>	<b>0.653</b>	10,007	kg/yr H2/vehicle or gal/yr gaso equiv		
Minimum	100	100	0.474	41,450	0.139	550	kg/month H2 or gal/mo. gaso equiv		



Capital Costs	Unit cost basis at 1,000 kg/d H2	cost/size factors	Unit cost at 470 kg/d H2	millions of \$ for 1 station	Notes
Methanol storage	5 /gal	70%	6 /gal	0.04	same as gasoline tank cost
Methanol reformer	\$ 2.70 /scf/d	75%	\$ 3.26 /scf/d	0.64	assume 90% of SMR
H2 Compressor	\$ 3,000 /kW	80%	\$ 3,489 /kW	0.13	\$ 285 /kg/d H2
HP H2 gas storage	\$ 100 /gal phy vol	80%	\$ 116 /gal phy vol	0.12	\$ 991 /kg high press H2 gas
HP H2 gas dispenser	\$ 15,000 /dispenser	100%	\$ 15,000 /dispenser	0.03	\$ 13 /kg/d dispenser design
			Total process units	0.96	
General Facilities	20% of process units			0.19	20-40% typical, should be low for this
Engineering Permitting & Startup	10% of process units			0.10	10-20% typical, low eng after first few
Contingencies	10% of process units			0.10	10-20% typical, low after the first few
Working Capital, Land & Misc.	9% of process units			0.09	5-10% typical, high land costs for this
			U.S. Gulf Coast Capital Costs	1.43	
Site specific factor	110% above US Gulf Coast		Total Capital Costs	1.57	
Unit Capital Costs of	8.08 /scf/d H2 or	3,350 /kg/d H2 or	3,350 /gal/d gaso equiv		

Hydrogen Costs	at 70% ann load factor	million \$/yr of 1 station	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Road tax or (subsidy)	\$ - /gal gaso equiv	-	-	-	-	can be subsidy like EtOH
Gas Station mark-up	\$ - /gal gaso equiv	-	-	-	-	if H2 drops total station revenues
Non-fuel Variable O&M	1.0% /yr of capital	0.016	1.15	0.32	0.13	0.5-1.5% is typical
Methanol	\$ 7.15 /MM Btu HHV	0.147	10.79	2.96	1.23	see below - chemical grade
Electricity	\$ 0.070 /kWh	0.018	1.33	0.37	0.15	\$0.06-.09/kWh EIA commercial rate
<b>Variable Operating Cost</b>		<b>0.181</b>	<b>13.27</b>	<b>3.64</b>	<b>1.51</b>	
<b>Fixed Operating Cost</b>	5.0% /yr of capital	<b>0.079</b>	<b>5.76</b>	<b>1.58</b>	<b>0.66</b>	4-7% typical for refining
<b>Capital Charges</b>	18.0% /yr of capital	<b>0.283</b>	<b>20.74</b>	<b>5.69</b>	<b>2.36</b>	20-25% typical for refining
<b>Total HP Hydrogen Cost from Methanol</b>		<b>0.544</b>	<b>39.77</b>	<b>10.92</b>	<b>4.53</b>	including return on investment

in vehicle

\$ 0.061 /kWh electricity for **only** H2 fuel (**no capital charges or other O&M**) to high capital cost fuel cell @ 60% LHV effc

\$ 0.068 /kWh electricity for **only** MeOH fuel (**no capital charges or other O&M**) to Solar 4 MWe Mercury 50 GT @ 40% LHV effc

\$ 0.067 /kWh electricity for **only** MeOH fuel (**no capital charges or other O&M**) to Solar 9 MWe STAC70 CC @ 41% LHV effc

H2-fuel cell power sales during H2 vehicle ramp-up is questionable relative to lower capital & non-fuel O&M of small NG or MeOH fired GT/CC or the much lower NG costs and higher efficiency, 60% of large industrial NGCC


note: requires \$ 0.462 /gal MeOH delivered price back calculated for above \$/MM Btu price  
 assuming \$ 0.100 /gal delivery cost at 2 times assumed special reformer gasoline delivery costs  
 \$ 0.362 /gal Feb. 2002 Methanex U.S. reference price was \$ 0.360 /gal  
 Fuel grade MeOH & I scale GTL with low cost NG, like the new Trinidad 5,000 t/d MeOH unit should be cheaper

## Path F2

### Forecourt Hydrogen via Steam Reformer of Natural Gas plus High Pressure Gas Storage

Final Version June 2002

Color codes variables via summary inputs key outputs



Capital Costs	Unit cost basis at 1,000 kg/d H2	cost/size factors	Unit cost at 470 kg/d H2	millions of \$ for 1 station	Notes
NG Reformer (SMR)	\$ 3.00 /scf/d	75%	\$ 3.62 /scf/d	0.71	\$ 1,502 /kg/d H2
H2 Compressor	\$ 3,000 /kW	80%	\$ 3,489 /kW	0.13	\$ 285 /kg/d H2
HP H2 gas storage	\$ 100 /gal phy vol	80%	\$ 116 /gal phy vol	0.12	\$ 991 /kg high press H2 gas
HP H2 gas dispenser	\$ 15,000 /dispenser	100%	\$ 15,000 /dispenser	0.03	\$ 13 /kg/d dispenser design
				0.99	
General Facilities		20% of process units		0.20	20-40% typical, should be low for this
Engineering Permitting & Startup		10% of process units		0.10	10-20% typical, low eng after first few
Contingencies		10% of process units		0.10	10-20% typical, low after the first few
Working Capital, Land & Misc.		9% of process units		0.09	5-10% typical, high land costs for this
				1.48	U.S. Gulf Coast Capital Costs
Site specific factor	110% above US Gulf Coast			1.63	<b>Total Capital Costs</b>
<b>Unit Capital Costs</b>	<b>8.35 /scf/d H2 or</b>	3,460 /kg/d H2 or	3,460 /gal/d gaso equiv.		

Hydrogen Costs at 70% ann load factor	million \$/yr of 1 station	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv.	Notes
Road tax or (subsidy)	\$ -	-	-	-	can be subsidy like EtOH
Gas Station mark-up	\$ -	-	-	-	if H2 drops total station revenues
Variable Non-fuel O&M	1% /yr of capital	0.016	1.19	0.33	0.14 0.5-1.5% is typical
Natural Gas	\$ 5.50 /MM Btu HHV	0.119	8.72	2.39	\$4-7/MM Btu EIA <b>commercial</b> rate
Electricity	\$ 0.070 /kWh	0.019	1.36	0.37	\$0.06-.09/kWh EIA <b>commercial</b> rate
<b>Variable Operating Cost</b>	<b>0.154</b>	<b>11.27</b>	<b>3.09</b>	<b>1.28</b>	
<b>Fixed Operating Cost</b>	<b>0.081</b>	<b>5.95</b>	<b>1.63</b>	<b>0.68</b>	4-7% typical for refining
<b>Capital Charges</b>	<b>0.293</b>	<b>21.42</b>	<b>5.88</b>	<b>2.44</b>	20-25% typical of refining
<b>Total HP Hydrogen Costs from Natural Gas</b>	<b>0.528</b>	<b>38.64</b>	<b>10.61</b>	<b>4.40</b>	including return on investment

in vehicle

- \$ 0.050 /kWh electricity for **only** H2 fuel (**no capital charges or other O&M**) to high capital cost fuel cell @ 60% LHV effc
  - \$ 0.052 /kWh electricity for **only** NG fuel (**no capital charges or other O&M**) to Solar 4 MWe Mercury 50 GT @ 40% LHV effc
  - \$ 0.051 /kWh electricity for **only** NG fuel (**no capital charges or other O&M**) to Solar 9 MWe STAC70 CC @ 41% LHV effc
- H2-fuel cell power sales during H2 vehicle ramp-up is questionable relative to lower capital & non-fuel O&M of small NG fired GT/CC or the much lower NG costs and higher efficiency, 60% of large industrial NGCC


note: Assume gas station has existing natural gas pipeline infrastructure, if not more capital or higher NG price

# Path F3 Forecourt Hydrogen via Steam Reformer of Gasoline plus High Pressure Gas Storage

Final Version June 2002

Color codes variables via summary inputs key outputs

Design per station		Design LHV energy equivalent				Assuming		gasoline equivalent	
Hydrogen		gasoline		million		requires		55 mpg and 12,000 mile/yr	
Size range	kg/d H2	gal/d	Btu/hr	scf/d H2	MW t	Assuming	actual H2	Annual average load factor	
Maximum	10,000	10,000	47,422	4,145,000	13.894		218	kg/yr H2/vehicle or gal/yr gaso equiv	
<b>This run</b>	<b>470</b>	<b>470</b>	<b>2,229</b>	<b>194,815</b>	<b>0.653</b>	or	<b>70%</b>	120,085 Annual average load factor	
Minimum	100	100	0.474	41,450	0.139	thereby	10,007	kg/y H2 /station or gal/y gaso equiv	
							<b>550</b>	<b>FC vehicles can be supported at</b>	
							<b>79</b>	fill-ups/d @ 4.2 kg or gal equiv/fill-up or each vehicle fills up one a week	



Capital Costs		Unit cost basis at		cost/size		Unit cost at		millions of \$		Notes	
		1,000 kg/d H2		factors		470 kg/d H2		for 1 station			
Special gasoline storage		5	/gal	70%	\$	6.27	gal storage	0.02		could use with existing tanks	
Gasoline reformer	\$	3.30	/scf/d	75%	\$	3.99	per scf/d	0.78		assume 110% of SMR	
H2 Compressor	\$	3,000	/kW	80%	\$	3,489	per kW	0.13	\$	285 /kg/d H2	
HP H2 gas storage	\$	100	/gal phy vol	80%	\$	116	/gal phy vol	0.12	\$	991 \$/kg high press H2 gas	
HP H2 gas dispenser	\$	15,000	/dispenser	100%	\$	15,000	per dispense	0.03	\$	13 /kg/d dispenser design	
						Total process units		1.09			
General Facilities				20%				0.22		20-40% typical, should be low for this	
Engineering Permitting & Startup				10%				0.11		10-20% typical, low eng after first few	
Contingencies				10%				0.11		10-20% typical, low after the first few	
Working Capital, Land & Misc.				9%				0.10		5-10% typical, high land costs for this	
						U.S. Gulf Coast Capital Costs		1.62			
Site specific factor				110%	above US Gulf Coast	Total Capital Costs		1.78			
<b>Unit Capital Costs of</b>		<b>9.14 /scf/d H2 or</b>		<b>3,789 /kg/d H2 or</b>		<b>3,789 /gal/d gaso equiv</b>					

Hydrogen Costs		at		million \$/yr		\$/million		\$/1,000		\$/kg H2 or		Notes	
		70% ann load factor		of 1 station		Btu LHV		scf H2		\$/gal gaso equiv			
Road tax or (subsidy)	\$	-	/gal gaso equiv	-		-		-		-		can be subsidy like EtOH	
Gas Station mark-up	\$	-	/gal gaso equiv	-		-		-		-		if H2 drops total station revenues	
Non-fuel Variable O&M		1%	/yr of capital	0.018		1.30		0.36		0.15		0.5-1.5% is typical	
Special gasoline	\$	6.60	/MM Btu HHV	0.154		11.27		3.09		1.28		see below	
Electricity	\$	0.070	/kWh	0.019		1.38		0.38		0.16		\$0.06-.09/kWh EIA commercial rate	
<b>Variable Operating Cost</b>				<b>0.191</b>		<b>13.96</b>		<b>3.83</b>		<b>1.59</b>			
Fixed Operating Cost		5%	/yr of capital	0.089		6.52		1.79		0.74		4-7% typical for refining	
Capital Charges		18%	/yr of capital	0.321		23.46		6.44		2.67		20-25% typical of refining	
<b>Total HP Hydrogen Costs from Gasoline</b>				<b>0.600</b>		<b>43.93</b>		<b>12.06</b>		<b>5.00</b>		including return on investment	
in vehicle													

\$ 0.064 /kWh electricity for **only** H2 fuel (**no capital charges or other O&M**) to high capital cost fuel cell @ 60% LHV effic

\$ 0.059 /kWh electricity for **only** gaso fuel (**no capital charges or other O&M**) to Solar 4 MWe Mercury 50 GT @ 40% LHV effic

\$ 0.058 /kWh electricity for **only** gaso fuel (**no capital charges or other O&M**) to Solar 9 MWe STAC70 CC @ 41% LHV effic

H2-fuel cell power sales during H2 vehicle ramp-up is questionable relative to lower capital & non-fuel O&M of small NG or gasoline fired GT/CC or the much lower NG costs and higher efficiency, 60% of large industrial NGCC

note: assume special ultra-low sulfur & aromatics gasoline is 100% of current regular reformulated gasoline price

requires \$ 0.792 /gal gasoline delivered price back calculated for above \$/MM Btu price input

assuming \$ 0.050 /gal delivery cost (assume use of existing delivery system)


\$ 0.742 /gal refinery price or 100% of \$ 0.742 /gal O&G Journal price in Feb 2002

### Path F4

## Forecourt Hydrogen via Electrolysis of Water plus High Pressure Gas Storage

Final Version June 2002

Color codes    variables    via summary inputs    key outputs



Note: if  hr/d at  /kWh lower off-peak rate and  hr/d at  /kWh higher peak rate      Daily average rate could be  /kWh

If only operated during low off-peak rate times would have low ann load factor & need more expensive H2 storage  
 Assume Hydrogn Systems Electrolysis at 150 psig pressure, Norsk Hydro & Stuard systems are low pressure  
 Assumed oxygen recovery for by-product sales with large central plant case, but only minor economic impact



# Central Hydrogen Plant Summary of Inputs and Outputs

Final Version June 2002

**Inputs**  
design basis

**Boxed in yellow** are the key input variables **you must choose, current inputs are just an example**

Key Variables Inputs	Notes
<b>Hydrogen Production Inputs</b>	
Design hydrogen production	<b>1 kg H2 is the same energy content as 1 gallon of gasoline</b>
Annual average load factor	62,175,000 <b>scf/d H2</b> size range of 20,000 to 900,000 kg/d
Distribution distance to forecourt	49,275,000 kg/yr actual
FC Vehicle gasoline equiv mileage	<b>43</b> miles average distance 25-200 miles is typical
FC Vehicle miles per year	23 km/liter
Typical gasoline sales/month/station	218 kg/yr H2 for each FC vehicle
Hydrogen as % of gasoline/station	100,000 - 250,000 gallons/month is typical or 4,932 gal/d
<b>Capital Cost Buildup Inputs from process unit costs</b>	<b>All major utilities included as process units</b>
General Facilities	20-40% typical for SMR + <b>10%</b> more for gasification
Engineering, Permitting & Startup	10-20% typical
Contingencies	10-20% typical, should be low after the first few
Working Capital, Land & Misc.	5-10% typical
Site specific factor	90-130% typical; sales tax, labor rates & weather issues
<b>Product Cost Buildup Inputs</b>	
Non-fuel Variable O&M	0.5-1.5% is typical
<b>Fuels</b> Natural Gas	\$2.50-4.50/MM Btu typical <b>industrial</b> rate, see www.eia.doe.gov
Electricity	\$0.04-0.05/kWh typical <b>industrial</b> rate, see www.eia.doe.gov
Biomass production costs	\$400-600/hr/yr typical in U.S. lower in developing nations or wastes
Biomass yield	8-12 ton/hr/yr typical if farmed, 3-5 ton/hr/yr if forestation or wastes
Coal	\$0.75-1.25/million Btu coal utility delivered go to www.eia.doe.gov
Petroleum Coke	\$0.00-0.50/million Btu refinery gate
Residue (Pitch)	\$1.00-2.00/million Btu refinery gate (solid at room temperature)
Fixed O&M Costs	4-7% typical for refiners: labor, overhead, insurance, taxes, G&A
Capital Charges	20-25%/yr CC typical for refiners & 14-20%/yr CC typical for utilities
	20%/yr CC is about 12% IRR DCF on 100% equity where as
	15%/yr CC is about 12% IRR DCF on 50% equity & debt at 7%

**Outputs** 135,000 kg/d H2 that supports 225,844 FC vehicles  
 actual annual average 32,263 fill-ups/d if 1 fill-up/week @ 4.2 kg/fill-up

Case No.	Description	Capital Costs		Operating Cost		Product Costs		Note
		Absolute \$ millions	Unit cost design rate \$/scf/d H2	Unit cost design rate \$/kg/d H2	Fixed Unit cost \$/kg H2	Variable Unit cost \$/kg H2	Including capital charges Unit cost \$/kg H2	
C1	Biomass-H2 Pipeline	295	4.74	1,966	0.30	0.92	<b>2.29</b>	same as \$/gal gaso equiv
C2	Biomass-Liquid H2	452	7.28	3,017	0.46	1.42	<b>3.53</b>	216 sq mi land
C3	Natural gas-H2 Pipeline	79	1.27	527	0.08	0.63	<b>1.00</b>	into pipeline @ 75 atm
C4	Natural gas-Liquid H2	230	3.70	1,534	0.23	1.13	<b>2.21</b>	into liquid H2 tanker truck
C5	Electrolysis-H2 Pipeline	566	9.11	3,776	0.57	2.49	<b>5.13</b>	into pipeline @ 75 atm
C6	Electrolysis-Liquid H2	688	11.07	4,586	0.70	2.96	<b>6.17</b>	into liquid H2 tanker truck
C7	Pet Coke-H2 Pipeline	238	3.82	1,585	0.24	0.24	<b>1.35</b>	into pipeline @ 75 atm
C8	Coal-H2 pipeline	259	4.16	1,723	0.26	0.42	<b>1.62</b>	into pipeline @ 75 atm
C9	Coal-Liquid H2	448	7.21	2,989	0.46	0.97	<b>3.06</b>	into liquid H2 tanker truck
C10	Biomass-HP Tube H2	362	5.82	2,411	0.37	1.00	<b>2.69</b>	216 sq mi land
C11	Natural Gas-HP Tube H2	133	2.13	884	0.13	0.69	<b>1.30</b>	into tube trailer @ 400 atm
C12	Electrolysis-HP Tube H2	602	9.67	4,010	0.61	2.49	<b>5.30</b>	into tube trailer @ 400 atm
C13	Residue-H2 Pipeline	185	2.97	1,231	0.19	0.41	<b>1.27</b>	into pipeline @ 75 atm
C15	Coal-HP Tube H2	339	5.46	2,263	0.34	0.51	<b>2.09</b>	into tube trailer @ 400 atm

Click on specific Excel worksheet tabs below for details of cost buildups for each case

# Path C1 Central Hydrogen via Biomass Gasification, Shipped by Pipeline


Final Version June 2002

Color codes    variables    via summary inputs    key outputs

## 1 Central Plant Design

Size range	Design LHV energy equivalent				
	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t
Maximum	200,000	200,000	948	82,900,000	278
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>
Minimum	20,000	20,000	95	8,290,000	28

Assuming requires 55 mpg and 12,000 mile/yr  
 218 kg/yr H2/vehicle or gal/yr gaso equiv  
 Assuming 90% annual load factor at  
 actual H2 49,275,000 kg/y H2 /station or gal/y gaso equiv  
 or 4,106,250 kg/month H2 or gal/mo. gaso equiv  
 thereby **225,844** vehicles can be serviced at  
**32,263** fill-ups/d @ 4.2 kg or gal equiv/fill-up  
 or each vehicle fills up one a week



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Biomass handling & drying	\$ 25 /kg/d dry bio	75%	\$ 23 /kg/d dry bio	38.1	11 /kg/d green (wet) biomass
Shell gasifier	\$ 20 /kg/d dry bio	80%	\$ 18 /kg/d dry bio	52.9	100% spare unit
Air separation unit (ASU)	\$ 27 /kg/d oxygen	75%	\$ 24 /kg/d oxygen	32.9	\$ 1,583 /kW power
CO shift, cool & cleanup	\$ 15 /kg/d CO2	75%	\$ 14 /kg/d CO2	35.6	\$ 0.6 /scf/d H2 MDEA & PSA
H2 Compressor	\$ 2,000 /kW	90%	\$ 1,921 /kW	6.0	\$ 40 /kg/d H2
				Total process units	165.5
General Facilities	<span style="background-color: yellow;">30%</span> of process units		49.7		20-40% typical, SMR + <span style="background-color: yellow;">10%</span>
Engineering Permitting & Startup	<span style="background-color: yellow;">15%</span> of process units		24.8		10-20% typical
Contingencies	<span style="background-color: yellow;">10%</span> of process units		16.6		10-20% typical, low after the first few
Working Capital, Land & Misc.	<span style="background-color: yellow;">7%</span> of process units		11.6		5-10% typical
				U.S. Gulf Coast Capital Costs	268.1
				<b>Total Capital Costs</b>	<b>294.9</b>
Site specific factor	<span style="background-color: yellow;">110%</span> of US Gulf Coast costs		1,966 /gal/d gaso equiv		
<b>Unit Capital Costs</b>	<b>4.74 /scf/d H2 or</b>	<b>1,966 /kg/d H2 or</b>	<b>1,966 /gal/d gaso equiv</b>		

Hydrogen Costs at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	<span style="background-color: yellow;">1.0%</span> /yr of capital	2.9	0.53	0.14	0.06	0.5-1.5% typical
Delivered biomass	\$ <b>3.22</b> /MM Btu HHV	31.5	5.61	1.54	0.64	<b>based on costs below</b>
Electricity	\$ <b>0.045</b> /kWh	10.7	1.91	0.52	0.22	0.04-0.05/kWh typical industrial rates
<b>Variable Operating Cost</b>		<b>45.1</b>	<b>8.05</b>	<b>2.21</b>	<b>0.92</b>	
<b>Fixed Operating Cost</b>	<span style="background-color: yellow;">5.0%</span> /yr of capital	<b>14.7</b>	<b>2.63</b>	<b>0.72</b>	<b>0.30</b>	4-6% typical for refining
<b>Capital Charges</b>	<span style="background-color: yellow;">18%</span> /yr of capital	<b>53.1</b>	<b>9.47</b>	<b>2.60</b>	<b>1.08</b>	20% typical of refining
<b>Total Gaseous Hydrogen Costs from Biomass</b>		<b>113.0</b>	<b>20.14</b>	<b>5.53</b>	<b>2.29</b>	including return on investment

into pipeline still requires distribution


Delivered biomass @	\$ 56.82 /bone dry ton (BDT) or	\$ 3.22 /million Btu LHV based on below:	
\$ <b>500</b> /hectare per yr gross total revenues or	\$ 200 /acre per yr gross total revenues	4.0 tons biomass/yr per acre - bone dry	If waste bio or coproduct lower gross revenue needs but much lower yield/ha
<b>10</b> ton biomass/yr per ha - bone dry basic or	<b>8,000</b> Btu/lb HHV bone dry and <b>50%</b> moisture of green biomass		
\$ <b>2.08</b> /mile round trip for typical 25 ton truck hauling green biomass	41 miles round trip haul = \$ 3.41 /ton green or \$ <b>6.82 /ton bone dry equivalent transportation</b>		



# Path C2 Central Hydrogen via Biomass Gasification, Shipped by Cryogenic Tanker Truck

Final Version June 2002

Color codes    variables    via summary inputs    key outputs



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Biomass handling & drying	\$ 25 /kg/d dry bio	75%	\$ 23 /kg/d dry bio	38.1	11 /kg/d green (wet) biomass
Shell gasifier	\$ 20 /kg/d dry bio	80%	\$ 18 /kg/d dry bio	52.9	100% spare unit H2O quench
Air separation unit (ASU)	\$ 27 /kg/d oxygen	75%	\$ 24 /kg/d oxygen	32.9	\$ 1,583 /kW power
CO shift, cool & cleanup	\$ 15 /kg/d CO2	75%	\$ 14 /kg/d CO2	35.6	\$ 0.6 /scf/d H2 MDEA & PSA
H2 Cryo Liquefaction	\$ 700 /kg/d H2	70%	\$ 620 /kg/d H2	93.0	\$ 1,352 /kW power
Liquid H2 storage	\$ 5 /gal phy vol	70%	\$ 4 /gal phy vol	1.2	\$ 17 kg of H2 liquid storage
Liquid H2 dispenser	\$ 100,000 /dispenser	100%	\$ 100,000 /dispenser	0.2	\$ 1 /kg/d dispenser design
			Total process units	253.9	
General Facilities	<b>30%</b> of process units			76.2	20-40% typical, SMR + <b>10%</b>
Engineering Permitting & Startup	<b>15%</b> of process units			38.1	10-20% typical
Contingencies	<b>10%</b> of process units			25.4	10-20% typical, low after the first few
Working Capital, Land & Misc.	<b>7%</b> of process units			17.8	5-10% typical
			U.S. Gulf Coast Capital Costs	411.3	
Site specific factor	<b>110%</b> of US Gulf Coast costs		Total Capital Costs	<b>452.5</b>	
<b>Unit Capital Costs</b>	<b>7.28 /scf/d H2 or</b>	<b>3,017 /kg/d H2 or</b>	<b>3,017 /gal/d gaso equiv</b>		

Hydrogen Costs at 90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	<b>1.0%</b> /yr of capital	4.5	0.81	0.22	0.09 0.5-1.5% typical
Delivered biomass	\$ <b>3.22</b> /MM Btu HHV	31.5	5.61	1.54	0.64 <b>based on costs below</b>
Electricity	\$ <b>0.045</b> /kWh	34.0	6.06	1.66	0.69 0.04-0.05/kWh typical industrial rates
<b>Variable Operating Cost</b>		<b>70.0</b>	<b>12.48</b>	<b>3.43</b>	<b>1.42</b>
<b>Fixed Operating Cost</b>	<b>5.0%</b> /yr of capital	<b>22.6</b>	<b>4.03</b>	<b>1.11</b>	<b>0.46</b> 4-7% typical for refining
<b>Capital Charges</b>	<b>18%</b> /yr of capital	<b>81.4</b>	<b>14.52</b>	<b>3.99</b>	<b>1.65</b> 20-25% typical for refining
<b>Total Liquid Hydrogen Costs from Biomass</b>		<b>174.1</b>	<b>31.04</b>	<b>8.52</b>	<b>3.53</b> including return on investment

plant gate still requires distribution


Delivered biomass @ \$	56.82 /bone dry ton (BDT) or	\$ 3.22 /million Btu LHV based on below:	
\$ <b>500</b> /hectare per yr gross total revenues or		\$ 200 /acre per yr gross total revenues	If waste bio or coproduct lower gross revenue needs but much lower yield/ha
<b>10</b> ton biomass/yr per ha - bone dry basic or		4.0 tons biomass/yr per acre - bone dry	
<b>8,000</b> Btu/lb HHV bone dry and <b>50%</b> moisture of green biomass			
\$ <b>2.08</b> /mile round trip for typical 25 ton truck hauling green biomass			
<b>41</b> miles round trip haul =	\$ 3.41 /ton green or	\$ <b>6.82 /ton bone dry equivalent transportation</b>	

## Path C3 Central Hydrogen via Steam Reformer of Natural Gas, Shipped by Gas Pipeline

Final Version June 2002

Color codes variables via summary inputs key outputs

1 Central Plant Design		Design LHV energy equivalent			Assuming		gasoline equivalent	
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	218	55 mpg and 12,000 mile/yr
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	Assuming	90%	kg/yr H2/vehicle or gal/yr gaso equiv
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	actual H2		49,275,000 kg/y H2 /station or gal/y gaso equiv
Minimum	20,000	20,000	95	8,290,000	28	or		4,106,250 kg/month H2 or gal/mo. gaso equiv
						thereby		<b>225,844</b> vehicles can be serviced at
								<b>32,263</b> fill-ups/d @ 4.2 kg or gal equiv/fill-up or each vehicle fills up one a week



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
SMR	\$ 0.75 /scf/d	70%	\$ 0.66 /scf/d	41.3 \$	275 /kg/d H2
H2 Compressor	\$ 2,000 /kW	90%	\$ 1,921 /kW	6.0 \$	40 /kg/d H2
			Total process units	47.3	
General Facilities		20% of process units		9.5	20-40% typical
Engineering Permitting & Startup		15% of process units		7.1	10-20% typical
Contingencies		10% of process units		4.7	10-20% typical, low after the first few
Working Capital, Land & Misc.		7% of process units		3.3	5-10% typical
			U.S. Gulf Coast Capital Costs	71.9	
Site specific factor	110% of US Gulf Coast costs		Total Capital Costs	79.1	
Unit Capital Costs	1.27 /scf/d H2 or	527 /kg/d H2 or		527 /gal/d gaso equiv	

Hydrogen Costs at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	1.0% /yr of capital	0.8	0.14	0.04	0.02	0.5-1.5% typical
Natural Gas	\$ 3.50 /MM Btu HHV	28.6	5.10	1.40	0.58	\$2.50-4.50/MM Btu industrial rate
Electricity	\$ 0.045 /kWh	1.6	0.28	0.08	0.03	\$0.04-0.05/kWh industrial rate
Variable Operating Cost		31.0	5.52	1.52	0.63	
Fixed Operating Cost	5.0% /yr of capital	4.0	0.70	0.19	0.08	4-7% typical for refining
Capital Charges	18% /yr of capital	14.2	2.54	0.70	0.29	20-25% typical for refining
Total Gaseous Hydrogen Costs from Natural Gas		49.1	8.76	2.41	1.00	including return on investment

into pipeline still requires distribution

note: Assume no central plant storage or compression of hydrogen due to pipeline volume & SMR at 30 atm pressure


Source SFA Pacific, Inc

# Path C4 Central Hydrogen via Steam Reformer of Natural Gas, Shipped by Cryogenic Liquid Trucks

Final Version June 2002

Color codes variables via summary inputs key outputs

1 Central Plant Design		Design LHV energy equivalent				Assuming		gasoline equivalent	
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	55 mpg and	12,000	mile/yr
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	Assuming	218	kg/yr H2/vehicle or gal/yr gaso equiv	
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	<b>actual H2</b>	<b>90%</b>	<b>annual load factor at</b>	
Minimum	20,000	20,000	95	8,290,000	28	or	49,275,000	kg/y H2 /station or gal/y gaso equiv	
						thereby	4,106,250	kg/month H2 or gal/mo. gaso equiv	
							<b>225,844</b>	<b>vehicles can be serviced at</b>	
							<b>32,263</b>	<b>fill-ups/d @ 4.2 kg or gal equiv/fill-up</b>	
								<b>or each vehicle fills up one a week</b>	



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
SMR	\$ 0.75 /scf/d H2	70%	\$ 0.66 /scf/d H2	41.3 \$	275 /kg/d H2
H2 Cryo Liquefaction	\$ 700 /kg/d H2	75%	\$ 633 /kg/d H2	94.9 \$	1,380 /kW power
Liquid H2 storage	\$ 5 /gal phy vol	70%	\$ 4 /gal phy vol	1.2 \$	17 kg of H2 liquid storage
Liquid H2 dispenser	\$ 100,000 /dispenser	100%	\$ 100,000 /dispenser	0.2 \$	1 /kg/d dispenser design
			Total process units	137.6	
General Facilities	20% of process units			27.5	20-40% typical
Engineering Permitting & Startup	15% of process units			20.6	10-20% typical
Contingencies	10% of process units			13.8	10-20% typical, low after the first few
Working Capital, Land & Misc.	7% of process units			9.6	5-10% typical
			U.S. Gulf Coast Capital Costs	209.2	
Site specific factor	110% of US Gulf Coast costs		<b>Total Capital Costs</b>	<b>230.1</b>	
<b>Unit Capital Costs</b>	<b>3.70 /scf/d H2 or</b>	<b>1,534 /kg/d H2 or</b>	<b>1,534 /gal/d gaso equiv</b>		

Hydrogen Costs at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	1.0% /yr of capital	2.3	0.41	0.11	0.05	0.5-1.5% typical
Natural Gas	\$ 3.50 /MM Btu HHV	28.6	5.10	1.40	0.58	\$2.50-4.50/MM Btu <b>industrial rate</b>
Electricity	\$ 0.045 /kWh	24.9	4.43	1.22	0.50	\$0.04-0.05/kWh <b>industrial rate</b>
<b>Variable Operating Cost</b>		<b>55.7</b>	<b>9.94</b>	<b>2.73</b>	<b>1.13</b>	
<b>Fixed Operating Cost</b>	5.0% /yr of capital	<b>11.5</b>	<b>2.05</b>	<b>0.56</b>	<b>0.23</b>	4-7% typical for refining
<b>Capital Charges</b>	18% /yr of capital	<b>41.4</b>	<b>7.38</b>	<b>2.03</b>	<b>0.84</b>	20-25% typical for refining
<b>Total Liquid Hydrogen Costs from Natural Gas</b>		<b>108.7</b>	<b>19.38</b>	<b>5.32</b>	<b>2.21</b>	including return on investment

plant gate still requires distribution

note: Assuming all storage liquid boil-off is recycled back to hydrogen liquefaction units, thereby no hydrogen losses


Source SFA Pacific, Inc

## Path C5 Central Hydrogen via Electrolysis of Water, Shipped by Gas Pipeline

Final Version June 2002

Color codes variables via summary inputs key outputs

1 Central Plant Design		Design LHV energy equivalent			Assuming		gasoline equivalent	
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	55 mpg and	12,000 mile/yr
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	Assuming	218 kg/yr H2/vehicle or gal/yr gaso equiv	
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	<b>actual H2</b>	<b>90% annual load factor at</b>	
Minimum	20,000	20,000	95	8,290,000	28	or	49,275,000 kg/y H2 /station or gal/y gaso equiv	
						thereby	4,106,250 kg/month H2 or gal/mo. gaso equiv	
							<b>225,844 vehicles can be serviced at</b>	
							<b>32,263 fill-ups/d @ 4.2 kg or gal equiv/fill-up</b>	
							<b>or each vehicle fills up one a week</b>	



theoretical power 39.37 kWh/kg H2 at 100% electric efficiency  
 actual power 52.49 kWh/kg or 4.73 kWh/Nm3 H2  
 at 0.75 kg CO2/kWh current U.S. average for all electricity =

255,320 kg/hr CO2 equivalent at power plants  
 40.9 kgCO2/kg H2

Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Electrolyser	\$ 1,000 /kW	90%	\$ 960 /kW	315.0 \$	5.1 /scf/d H2
H2 Compressor	\$ 2,000 /kW	90%	\$ 1,921 /kW	23.7 \$	158 /kg/d H2
			Total process units	338.8	
General Facilities		20% of process units		67.8	20-40% typical
Engineering Permitting & Startup		15% of process units		50.8	10-20% typical
Contingencies		10% of process units		33.9	10-20% typical, low after the first few
Working Capital, Land & Misc.		7% of process units		23.7	5-10% typical
			U.S. Gulf Coast Capital Costs	514.9	
Site specific factor	110% of US Gulf Coast costs		<b>Total Capital Costs</b>	<b>566.4</b>	
<b>Unit Capital Costs of</b>	<b>9.11 /scf/d H2 or</b>	<b>3,776 /kg/d H2 or</b>	<b>3,776 /gal/d gaso equiv</b>		

Hydrogen Costs	at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Non-fuel Variable O&M		1.0% /yr of capital	5.664	1.01	0.28	0.11	0.5-1.5% typical
Oxygen byproduct	\$ (10) /ton O2		(3.942)	(0.70)	(0.19)	(0.08)	large amount could create min. value
Electricity	\$ 0.045 /kWh		120.777	21.54	5.91	2.45	\$0.04-0.05/kWh industrial rate
<b>Variable Operating Cost</b>			<b>122.498</b>	<b>21.84</b>	<b>6.00</b>	<b>2.49</b>	
<b>Fixed Operating Cost</b>		5.0% /yr of capital	<b>28.320</b>	<b>5.05</b>	<b>1.39</b>	<b>0.57</b>	4-7% typical for refining
Capital Charges		18% /yr of capital	<b>101.951</b>	<b>18.18</b>	<b>4.99</b>	<b>2.07</b>	20-25% typical for refining
<b>Total Gaseous Hydrogen Costa from Electrolysis</b>			<b>252.769</b>	<b>45.07</b>	<b>12.38</b>	<b>5.13</b>	including return on investment

into pipeline still requires distribution

Note: if 12 hr/d at only \$ 0.020 /kWh lower off-peak rate and  
 12 hr/d at \$ 0.060 /kWh higher peak rate daily average rate is \$ 0.040 /kWh

If only operated during low off-peak rates times would have low ann load factor & expensive H2 storage


Assume Hydrogn Systems Electrolysis at 150 psig pressure, Norsk Hydro & Stuard systems are low pressure

# Path C6 Central Hydrogen via Electrolysis of Water, Shipped by Cryogenic Liquid Tankers

Final Version June 2002

Color codes variables via summary inputs key outputs

1 Central Plant Design		Design LHV energy equivalent				Assuming		gasoline equivalent	
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	Assuming	55 mpg and	12,000 mile/yr
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	Assuming	218	kg/yr H2/vehicle or gal/yr gaso equiv	
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	<b>actual H2</b>	<b>49,275,000</b>	<b>90% annual load factor at</b>	
Minimum	20,000	20,000	95	8,290,000	28	or	4,106,250	kg/y H2 /station or gal/y gaso equiv	
						thereby	<b>225,844</b>	kg/month H2 or gal/mo. gaso equiv	
							<b>32,263</b>	<b>vehicles can be serviced at</b>	
								fill-ups/d @ 4.2 kg or gal equiv/fill-up	
								or each vehicle fills up one a week	



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	Unit cost at millions of \$ for 1 plant	Notes
Electrolyser	\$ 1,000 /kW	90%	\$ 960 /kW	315.0	\$ 5.1 /scf/d H2
H2 Cryo Liquefaction	\$ 700 /kg/d H2	75%	\$ 633 /kg/d H2	94.9	\$ 1,265 /kW power
Liquid H2 storage	\$ 5 /gal phy vol	70%	\$ 4 /gal phy vol	1.2	\$ 17 kg of H2 liquid storage
Liquid H2 dispenser	\$ 150,000 /dispenser	100%	\$ 150,000 /dispenser	0.3	\$ 2 /kg/d dispenser design
Total process units					411.5
General Facilities	20% of process units			82.3	20-40% typical
Engineering Permitting & Startup	15% of process units			61.7	10-20% typical
Contingencies	10% of process units			41.1	10-20% typical, low after the first few
Working Capital, Land & Misc.	7% of process units			28.8	5-10% typical
U.S. Gulf Coast Capital Costs					625.4
Site specific factor	110% of US Gulf Coast costs			<b>Total Capital Costs \$ 688.0</b>	
<b>Unit Capital Costs of</b>	<b>11.07 /scf/d H2 or</b>	<b>4,586 /kg/d H2 or</b>	<b>4,586 /gal/d gaso equiv</b>		

Hydrogen Costs	at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Non-fuel Variable O&M	1.0% /yr of capital		6.880	1.23	0.34	0.14	0.5-1.5% typical
Oxygen byproduct	\$ (10) /ton O2		(3.942)	(0.70)	(0.19)	(0.08)	large amount could create min. value
Electricity	\$ 0.045 /kWh		143.006	25.50	7.00	2.90	\$0.04-0.05/kWh industrial rate
<b>Variable Operating Cost</b>			<b>145.944</b>	<b>26.02</b>	<b>7.15</b>	<b>2.96</b>	
<b>Fixed Operating Cost</b>	5.0% /yr of capital		<b>34.398</b>	<b>6.13</b>	<b>1.68</b>	<b>0.70</b>	4-7% typical for refining
Capital Charges	18% /yr of capital		<b>123.834</b>	<b>22.08</b>	<b>6.06</b>	<b>2.51</b>	20-25% typical for refining
<b>Total Liquid Hydrogen Costs from Electrolysis</b>			<b>304.176</b>	<b>54.24</b>	<b>14.89</b>	<b>6.17</b>	including return on investment
plant gate still requires distribution							


Note: if  hr/d at only  /kWh lower off-peak rate and  hr/d at  /kWh higher peak rate daily average rate is \$ 0.040 /kWh

If only operated during low off-peak rates times would have low ann load factor & need more H2 storage  
Assume Hydrogn Systems Electrolysis at 150 psig pressure, Norsk Hydro & Stuard systems are low pressure

## Path C7 Central Hydrogen via Petroleum Coke Gasification, Shipped by Pipeline

Final Version June 2002

Color codes variables via summary inputs key outputs



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Coke handling & prep	\$ 20 /kg/d coke	75%	\$ 18 /kg/d coke	16.3	
Texaco coke gasifiers	\$ 25 /kg/d coke	85%	\$ 24 /kg/d coke	42.4	100% spare unit HP quench
Air separation unit (ASU)	\$ 28 /kg/d oxygen	75%	\$ 25 /kg/d oxygen	24.0	\$ 1,518 /kW ASU power
CO shift, cool & cleanup	\$ 20 /kg/d CO2	75%	\$ 18 /kg/d CO2	50.8	\$ 0.8 /scf/d H2 MDEA & PSA
Sulfur recovery	\$ 330 /kg/d sulfur	80%	\$ 304 /kg/d sulfur	13.7	lower unit cost that coal due to high S
				<b>Total process units</b>	<b>133.5</b>
General Facilities	30% of process units			40.0	20-40% typical, SMR + 10%
Engineering Permitting & Startup	15% of process units			20.0	10-20% typical
Contingencies	10% of process units			13.3	10-20% typical, low after the first few
Working Capital, Land & Misc.	7% of process units			9.3	5-10% typical
				<b>U.S. Gulf Coast Capital Costs</b>	<b>216.2</b>
Site specific factor	110% of US Gulf Coast costs			<b>Total Capital Costs</b>	<b>237.8</b>
<b>Unit Capital Costs</b>	<b>3.82 /scf/d H2 or</b>	<b>1,585 /kg/d H2 or</b>	<b>1,585 /gal/d gaso equiv</b>		

Hydrogen Costs at 90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	1.0% /yr of capital	2.4	0.42	0.12	0.05 0.5-1.5% typical
Pet Coke	\$ 0.20 /MM Btu HHV	1.8	0.31	0.09	\$0.00-0.50/MM Btu typical at refinery
Electricity	\$ 0.045 /kWh	7.4	1.33	0.36	\$0.04-0.05/kWh industrial rate
<b>Variable Operating Cost</b>	<b>11.6</b>	<b>2.07</b>	<b>0.57</b>	<b>0.24</b>	
<b>Fixed Operating Cost</b>	<b>5.0% /yr of capital</b>	<b>11.9</b>	<b>2.12</b>	<b>0.58</b>	<b>0.24</b> 4-7% typical for refining
<b>Capital Charges</b>	<b>18% /yr of capital</b>	<b>42.8</b>	<b>7.63</b>	<b>2.10</b>	<b>0.87</b> 20-25% typical for refining
<b>Total Gaseous Hydrogen Costs from Pet Coke</b>	<b>66.3</b>	<b>11.82</b>	<b>3.25</b>	<b>1.35</b>	<b>including return of investment</b>

into pipeline still requires distribution

note \$ 5.95 /tonne pet coke price from above \$/MM Btu input at 13,500 Btu/lb HHV

Source SFA Pacific, Inc




## Path C8 Central Hydrogen via Coal Gasification, Shipped by Pipeline

Final Version June 2002

Color codes    variables    via summary inputs    key outputs

1 Central Plant Design		Design LHV energy equivalent				Assuming		gasoline equivalent	
		Hydrogen	gasoline	million			55	12,000	
Size range	kg/d H2	gal/d	Btu/hr	scf/d H2	MW t	requires	218	mpg and	mile/yr
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	Assuming	90%	<b>annual load factor at</b>	
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	actual H2	49,275,000	kg/y H2 /station or gal/y gaso equiv	
Minimum	20,000	20,000	95	8,290,000	28	or	4,106,250	kg/month H2 or gal/mo. gaso equiv	
						thereby	<b>225,844</b>	<b>vehicles can be serviced at</b>	
							<b>32,263</b>	fill-ups/d @ 4.2 kg or gal equiv/fill-up or each vehicle fills up one a week	



	Unit cost basis at		cost/size factors	Unit cost at		millions of \$ for 1 plant	Notes
	100,000	kg/d H2		150,000	kg/d H2		
<b>Capital Costs</b>							
Coal handling & prep	\$ 20	/kg/d coal	75%	\$ 18	/kg/d coal	18.7	solids & slurry prep
Texaco coal gasifiers	\$ 25	/kg/d coal	85%	\$ 24	/kg/d coal	48.7	100% spare unit HP quench
Air separation unit (ASU)	\$ 28	/kg/d oxygen	75%	\$ 25	/kg/d oxygen	26.2	\$ 1,518 /kW ASU power
CO shift, cool & cleanup	\$ 20	/kg/d CO2	75%	\$ 18	/kg/d CO2	51.5	\$ 0.8 /scf/d H2 MDEA & PSA
Sulfur recovery	\$ 400	/kg/d sulfur	80%	\$ 369	/kg/d sulfur	7.6	O2 Claus & tailgas treat
						145.1	
<b>General Facilities</b>						43.5	20-40% typical, SMR + 10%
Engineering Permitting & Startup						21.8	10-20% typical
Contingencies						14.5	10-20% typical, low after the first few
Working Capital, Land & Misc.						10.2	5-10% typical
						235.0	U.S. Gulf Coast Capital Costs
Site specific factor		110% of US Gulf Coast costs				258.5	<b>Total Capital Costs</b>
<b>Unit Capital Costs</b>	<b>4.16</b>	<b>/scf/d H2 or</b>	<b>1,723</b>	<b>/kg/d H2 or</b>	<b>1,723</b>		<b>/gal/d gaso equiv</b>

	Hydrogen Costs at		million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
	90% ann load factor	1.0% /yr of capital					
Variable Non-fuel O&M			2.6	0.46	0.13	0.05	0.5-1.5% typical
Coal	\$ 1.10	/MM Btu HHV	9.9	1.76	0.48	0.20	\$0.75-1.25/MM Btu typical
Electricity	\$ 0.045	/kWh	8.0	1.42	0.39	0.16	\$0.04-0.05/kWh industrial rate
<b>Variable Operating Cost</b>			<b>20.5</b>	<b>3.65</b>	<b>1.00</b>	<b>0.42</b>	
<b>Fixed Operating Cost</b>		5.0% /yr of capital	<b>12.9</b>	<b>2.30</b>	<b>0.63</b>	<b>0.26</b>	4-7% typical for refining
<b>Capital Charges</b>		18% /yr of capital	<b>46.5</b>	<b>8.30</b>	<b>2.28</b>	<b>0.94</b>	20-25% typical for refining
<b>Total Gaseous Hydrogen Costs from Coal</b>			<b>79.9</b>	<b>14.25</b>	<b>3.91</b>	<b>1.62</b>	including return of investment


into pipeline still requires distribution

note \$ 29.11 /tonne coal price from above \$/MM Btu input at 12,000 Btu/lb HHV

# Path C9 Central Hydrogen via Coal Gasification, Shipped by Cryogenic Tanker Truck

Final Version June 2002

Color codes    variables    via summary inputs    key outputs



at 0.75 kg CO2/kWh current U.S. average for all electricity = **70,487 kg/hr CO2 equivalent at power plants**

Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Coal handling & prep	\$ 20 /kg/d coal	75%	\$ 18 /kg/d coal	18.7	solids & slurry prep
Texaco coal gasifiers	\$ 25 /kg/d coal	85%	\$ 24 /kg/d coal	48.7	<span style="border: 1px solid black; padding: 2px;">100%</span> spare unit HP quench
Air separation unit (ASU)	\$ 28 /kg/d oxygen	75%	\$ 25 /kg/d oxygen	28.8	\$ 1,518 /kW ASU power
CO shift, cool & cleanup	\$ 20 /kg/d CO2	75%	\$ 18 /kg/d CO2	51.5	\$ 0.8 /scf/d H2 MDEA & PSA
Sulfur recovery	\$ 400 /kg/d sulfur	80%	\$ 369 /kg/d sulfur	7.6	O2 Claus & tailgas treat
H2 Cryo Liquefaction	\$ 700 /kg/d H2	75%	\$ 633 /kg/d H2	94.9	\$ 1,380 /kW power
Liquid H2 storage	\$ 5 /gal phy vol	70%	\$ 4 /gal phy vol	1.2	\$ 4 kg of H2 liquid storage
Liquid H2 dispenser	\$ 100,000 /dispenser	100%	\$ 100,000 /dispenser	0.2	\$ 1 /kg/d dispenser design
Total process units				251.6	

General Facilities	<span style="background-color: yellow;">30%</span> of process units	75.5	20-40% typical, SMR + <span style="background-color: yellow;">10%</span>
Engineering Permitting & Startup	<span style="background-color: yellow;">15%</span> of process units	37.7	10-20% typical
Contingencies	<span style="background-color: yellow;">10%</span> of process units	25.2	10-20% typical, low after the first few
Working Capital, Land & Misc.	<span style="background-color: yellow;">7%</span> of process units	17.6	5-10% typical
U.S. Gulf Coast Capital Costs		407.7	

Site specific factor 110% of US Gulf Coast costs    **Total Capital Costs** **448.4**  
**Unit Capital Costs** **7.21 /scf/d H2 or** 2,989 /kg/d H2 or 2,989 /gal/d gaso equiv

Hydrogen Costs at 90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	<span style="background-color: yellow;">1.0%</span> /yr of capital	4.5	0.80	0.22	0.09 0.5-1.5% typical
Coal	\$ <span style="background-color: yellow;">1.10</span> /MM Btu HHV	9.9	1.76	0.48	0.20 \$0.75-1.25/MM Btu typical
Electricity	\$ <span style="background-color: yellow;">0.045</span> /kWh	33.3	5.95	1.63	0.68 \$0.04-0.05/kWh industrial rate
<b>Variable Operating Cost</b>		<b>47.7</b>	<b>8.51</b>	<b>2.34</b>	<b>0.97</b>
<b>Fixed Operating Cost</b>	<span style="background-color: yellow;">5.0%</span> /yr of capital	<b>22.4</b>	<b>4.00</b>	<b>1.10</b>	<b>0.46</b> 4-7% typical for refining
<b>Capital Charges</b>	<span style="background-color: yellow;">18%</span> /yr of capital	<b>80.7</b>	<b>14.39</b>	<b>3.95</b>	<b>1.64</b> 20-25% typical for refining
<b>Total Liquid Hydrogen Costs from Coal</b>		<b>150.9</b>	<b>26.90</b>	<b>7.39</b>	<b>3.06</b> including return of investment

plant gate still requires distribution

note \$ **29.11** /tonne coal price from above \$/MM Btu input at 12,000 Btu/lb HHV




# Path C10

## Central Hydrogen via Biomass Gasification, Shipped by High Pressure Gas Tube Trailers

Final Version June 2002

Color codes    variables    via summary inputs    key outputs



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Biomass handling & drying	\$ 25 /kg/d dry bio	75%	\$ 23 /kg/d dry bio	38.1	11 /kg/d green (wet) biomass
Shell gasifier	\$ 20 /kg/d dry bio	85%	\$ 19 /kg/d dry bio	54.0	<b>100%</b> spare unit H2O quench
Air separation unit (ASU)	\$ 27 /kg/d oxygen	75%	\$ 24 /kg/d oxygen	32.9	\$ 1,583 /kW power
CO shift, cool & cleanup	\$ 15 /kg/d CO2	75%	\$ 14 /kg/d CO2	35.6	\$ 0.6 /scf/d H2 MDEA & PSA
H2 Compressor	\$ 2,000 /kWh	75%	\$ 1,807 /kWh	22.6	\$ 151 //kg/d H2
HP H2 gas storage	\$ 20 /gal phy vol	70%	\$ 18 /gal phy vol	19.2	\$ 255 /kg of HP H2 gas storage
HP H2 gas dispenser	\$ 30,000 /dispenser	100%	\$ 30,000 /dispenser	0.6	\$ 3 /kg/d dispenser design
			Total process units	203.0	
General Facilities	<b>30%</b> of process units			60.9	20-40% typical, SMR + <b>10%</b>
Engineering Permitting & Startup	<b>15%</b> of process units			30.4	10-20% typical
Contingencies	<b>10%</b> of process units			20.3	10-20% typical, low after the first few
Working Capital, Land & Misc.	<b>7%</b> of process units			14.2	5-10% typical
			U.S. Gulf Coast Capital Costs	328.8	
Site specific factor	<b>110%</b> of US Gulf Coast costs		<b>Total Capital Costs</b>	<b>361.7</b>	
<b>Unit Capital Costs</b>	<b>5.82 /scf/d H2 or</b>	2,411 /kg/d H2 or	2,411 /gal/d gaso equiv		

Hydrogen Costs at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	<b>1.0%</b> /yr of capital	3.6	0.64	0.18	0.07	0.5-1.5% typical
Delivered biomass	\$ <b>3.22</b> /MM Btu HHV	31.5	5.61	1.54	0.64	based on costs below
Electricity	\$ <b>0.045</b> /kWh	14.0	2.50	0.69	0.28	0.04-0.05/kWh typical industrial rates
<b>Variable Operating Cost</b>		<b>49.1</b>	<b>8.76</b>	<b>2.41</b>	<b>1.00</b>	
<b>Fixed Operating Cost</b>	<b>5.0%</b> /yr of capital	<b>18.1</b>	<b>3.22</b>	<b>0.89</b>	<b>0.37</b>	4-7% typical for refining
<b>Capital Charges</b>	<b>18%</b> /yr of capital	<b>65.1</b>	<b>11.61</b>	<b>3.19</b>	<b>1.32</b>	20-25% typical for refining
<b>Total HP Gas Hydrogen Costs from Biomass</b>		<b>132.3</b>	<b>23.59</b>	<b>6.48</b>	<b>2.69</b>	including return of investment

plant gate still requires distribution

Delivered biomass @ \$	56.82 /bone dry ton (BDT) or	\$ 3.22 /million Btu LHV based on below:	Notes
<b>\$ 500</b>	/hectare per yr gross total revenues or	\$ 200 /acre per yr gross total revenues	If waste bio or coproduct lower gross revenue needs but much lower yield/ha
<b>10</b>	ton biomass/yr per ha - bone dry basic or	4.0 tons biomass/yr per acre - bone dry	
<b>8,000</b>	Btu/lb HHV bone dry and <b>50%</b> moisture of green biomass		
<b>\$ 2.08</b>	/mile round trip for typical 25 ton truck hauling green biomass		
<b>41</b>	miles round trip haul =	\$ 3.41 /ton green or \$ <b>6.82 /ton bone dry equivalent transportation</b>	


## Path C11

### Central Hydrogen via Steam Reformer of Natural Gas, Shipped by High Pressure Gas Tube Trailers

Final Version June 2002

Color codes variables via summary inputs key outputs

1 Central Plant Design		Design LHV energy equivalent				Assuming		gasoline equivalent	
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	Assuming	218	55	12,000
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	requires	218	mpg and	mile/yr
This run	150,000	150,000	711	62,175,000	208	actual H2	90%	annual load factor at	
Minimum	20,000	20,000	95	8,290,000	28	or	49,275,000	kg/yr H2/vehicle or gal/yr gaso equiv	
						thereby	4,106,250	kg/y H2 /station or gal/y gaso equiv	
							225,844	kg/month H2 or gal/mo. gaso equiv	
							32,263	vehicles can be serviced at	
								fill-ups/d @ 4.2 kg or gal equiv/fill-up	
								or each vehicle fills up one a week	



Capital Costs	Unit cost basis at		cost/size		Unit cost at		millions of \$		Notes	
	\$	100,000	factors	\$	150,000	for 1 plant				
SMR	\$	0.75	70%	\$	0.66	41.3	\$	275	/kg/d H2	
H2 Compressor	\$	2,000	90%	\$	1,921	18.4	\$	123	/kg/d H2	
HP H2 gas storage	\$	20	70%	\$	18	19.0	\$	281	/kg of HP H2 gas storage	
HP H2 gas dispenser	\$	30,000	100%	\$	30,000	0.6	\$	4	/kg/d dispenser design	
					Total process units	79.3				
General Facilities			20% of process units			15.9		20-40%	typical	
Engineering Permitting & Startup			15% of process units			11.9		10-20%	typical	
Contingencies			10% of process units			7.9		10-20%	typical, low after the first few	
Working Capital, Land & Misc.			7% of process units			5.5		5-10%	typical	
					U.S. Gulf Coast Capital Costs	120.5				
Site specific factor		110% of US Gulf Coast costs			Total Capital Costs	132.5				
Unit Capital Costs	2.13	/scf/d H2 or	884	/kg/d H2 or	884	/gal/d gaso equiv				

Hydrogen Costs at	90% ann load factor		million \$/yr		\$/million		\$/1,000		\$/kg H2 or		Notes	
	\$	1.0%	of 1 plant	Btu LHV	scf H2	\$/gal gaso equiv						
Variable Non-fuel O&M		1.0% /yr of capital	1.3	0.24	0.06	0.03	0.5-1.5% typical					
Natural Gas	\$	3.50 /MM Btu HHV	28.6	5.10	1.40	0.58	\$2.50-4.50/MM Btu industrial rate					
Electricity	\$	0.045 /kWh	3.9	0.69	0.19	0.08	\$0.04-0.05/kWh industrial rate					
Variable Operating Cost			33.8	6.02	1.65	0.69						
Fixed Operating Cost		5.0% /yr of capital	6.6	1.18	0.32	0.13	4-7% typical for refining					
Capital Charges		18% /yr of capital	23.9	4.25	1.17	0.48	20-25% typical for refining					
Total HP Hydrogen Costs from Natural Gas			64.3	11.46	3.15	1.30	including return of investment					
		plant gate still requires distribution										

note:

Source SFA Pacific, Inc


## Path C12

### Central Hydrogen via Electrolysis of Water, Shipped by High Pressure Gas Tube Trailers

Final Version June 2002

Color codes variables via summary inputs key outputs

1 Central Plant Design		Design LHV energy equivalent				Assuming		gasoline equivalent	
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	55 mpg and	12,000	mile/yr
Maximum	200,000	200,000	948	82,900,000	278	Assuming	218	kg/yr H2/vehicle or gal/yr gaso equiv	
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	<b>actual H2</b>	<b>90%</b>	<b>annual load factor at</b>	
Minimum	20,000	20,000	95	8,290,000	28	or	49,275,000	kg/y H2 /station or gal/y gaso equiv	
						thereby	4,106,250	kg/month H2 or gal/mo. gaso equiv	
							<b>225,844</b>	<b>vehicles can be serviced at</b>	
							<b>32,263</b>	<b>fill-ups/d @ 4.2 kg or gal equiv/fill-up</b>	
								<b>or each vehicle fills up one a week</b>	



Capital Costs	Unit cost basis at		cost/size factors	Unit cost at		Notes	
	100,000	kg/d H2		150,000	kg/d H2		millions of \$ for 1 plant
Electrolyser	\$ 1,000	/kW	90%	\$ 960	/kW	\$ 315.0	5.1 /scf/d H2
H2 Compressor	\$ 2,200	/kW	80%	\$ 2,029	/kW	25.1	168 /kg/d H2
HP H2 gas storage	\$ 20	/gal phy vol	70%	\$ 18	/gal phy vol	19.0	281 /kg of HP H2 gas storage
HP H2 gas dispenser	\$ 30,000	/dispenser	100%	\$ 30,000	/dispenser	0.6	4 /kg/d dispenser design
				Total process units		359.8	
General Facilities		20% of process units				72.0	20-40% typical
Engineering Permitting & Startup		15% of process units				54.0	10-20% typical
Contingencies		10% of process units				36.0	10-20% typical, low after the first few
Working Capital, Land & Misc.		7% of process units				25.2	5-10% typical
				U.S. Gulf Coast Capital Costs		546.9	
Site specific factor	110%	of US Gulf Coast costs		Total Capital Costs	\$	601.5	
<b>Unit Capital Costs of</b>	<b>9.67</b>	<b>/scf/d H2 or</b>	<b>4,010</b>	<b>/kg/d H2 or</b>	<b>4,010</b>	<b>/gal/d gaso equiv</b>	

Hydrogen Costs	at	90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Non-fuel Variable O&M	1.0%	/yr of capital	6.015	1.07	0.29	0.12	0.5-1.5% typical
Oxygen byproduct	\$ (10)	/ton O2	(3.942)	(0.70)	(0.19)	(0.08)	large amount could create min. value
Electricity	\$ 0.045	/kWh	120.793	21.54	5.91	2.45	\$0.04-0.05/kWh industrial rate
<b>Variable Operating Cost</b>			<b>122.866</b>	<b>21.91</b>	<b>6.02</b>	<b>2.49</b>	
Fixed Operating Cost	5.0%	/yr of capital	30.077	5.36	1.47	0.61	4-7% typical for refining
Capital Charges	18%	/yr of capital	108.276	19.31	5.30	2.20	20-25% typical for refining
<b>Total HP Gas Hydrogen Costs from Electrolysis</b>			<b>261.219</b>	<b>46.58</b>	<b>12.79</b>	<b>5.30</b>	including return on investment
	plant gate	still requires distribution					


Note: if 12 hr/d at only \$ 0.020 /kWh lower off-peak rate and 12 hr/d at \$ 0.060 /kWh higher peak rate daily average rate is \$ 0.040 /kWh

If only operated during low off-peak rates times would have low ann load factor & need more H2 storage  
Assume Hydrogn Systems Electrolysis at 150 psig pressure, Norsk Hydro & Stuard systems are low pressure

# Path C13 Central Hydrogen via Petroleum Residue Gasification, Shipped by Pipeline

Final Version June 2002

Color codes variables via summary inputs key outputs



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Residue handling & prep	\$ 12 /kg/d residue	75%	\$ 11 /kg/d residue	7.1	
Texaco residue gasifiers	\$ 32 /kg/d residue	85%	\$ 30 /kg/d residue	39.4	<span style="border: 1px solid black; padding: 2px;">100%</span> spare unit soot recycle
Air separation unit (ASU)	\$ 28 /kg/d oxygen	75%	\$ 25 /kg/d oxygen	16.6	\$ 1,518 /kW ASU power
CO shift, cool & cleanup	\$ 22 /kg/d CO2	75%	\$ 20 /kg/d CO2	40.5	\$ 0.7 /scf/d H2 MDEA & PSA
Sulfur recovery	\$ 330 /kg/d sulfur	80%	\$ 304 /kg/d sulfur	10.0	lower unit cost that coal due to high S
Total process units				103.6	
General Facilities	<span style="background-color: yellow;">30%</span> of process units			31.1	20-40% typical, SMR + <span style="background-color: yellow;">10%</span>
Engineering Permitting & Startup	<span style="background-color: yellow;">15%</span> of process units			15.5	10-20% typical
Contingencies	<span style="background-color: yellow;">10%</span> of process units			10.4	10-20% typical, low after the first few
Working Capital, Land & Misc.	<span style="background-color: yellow;">7%</span> of process units			7.3	5-10% typical
U.S. Gulf Coast Capital Costs				167.8	
Site specific factor	<span style="background-color: yellow;">110%</span> of US Gulf Coast costs		<b>Total Capital Costs</b>	<b>184.6</b>	
<b>Unit Capital Costs</b>	<b>2.97 /scf/d H2 or</b>	<b>1,231 /kg/d H2 or</b>	<b>1,231 /gal/d gaso equiv</b>		

Hydrogen Costs at 90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	<span style="background-color: yellow;">1.0%</span> /yr of capital	1.8	0.33	0.09	0.04 0.5-1.5% typical
Pitch	\$ <span style="background-color: yellow;">1.50</span> /MM Btu HHV	12.4	2.22	0.61	\$1.00-2.00/MM Btu typical at refinery
Electricity	\$ <span style="background-color: yellow;">0.045</span> /kWh	5.7	1.02	0.28	\$0.04-0.05/kWh <b>industrial rate</b>
<b>Variable Operating Cost</b>	<b>20.0</b>	<b>3.57</b>	<b>0.98</b>	<b>0.41</b>	
<b>Fixed Operating Cost</b>	<span style="background-color: yellow;">5.0%</span> /yr of capital	<b>9.2</b>	<b>1.65</b>	<b>0.45</b>	4-7% typical for refining
<b>Capital Charges</b>	<span style="background-color: yellow;">18%</span> /yr of capital	<b>33.2</b>	<b>5.93</b>	<b>1.63</b>	20-25% typical for refining
<b>Total Gaseous Hydrogen Costs from Residue</b>	<b>62.5</b>	<b>11.14</b>	<b>3.06</b>	<b>1.27</b>	including return of investment


into pipeline still requires distribution

note \$ **57.88** /tonne pitch price from above \$/MM Btu input at 17,500 Btu/lb HHV  
\$ **9.65** /barrel at 6.0 bbl/tonne

# Path C15 Central Hydrogen via Coal Gasification, Shipped by High Pressure Gas Tube Trailers

Final Version June 2002

Color codes    variables    via summary inputs    key outputs



Capital Costs	Unit cost basis at 100,000 kg/d H2	cost/size factors	Unit cost at 150,000 kg/d H2	millions of \$ for 1 plant	Notes
Coal handling & prep	\$ 20 /kg/d coal	75%	\$ 18 /kg/d coal	18.7	solids & slurry prep
Texaco coal gasifiers	\$ 25 /kg/d coal	85%	\$ 24 /kg/d coal	48.7	100% spare unit direct quench
Air separation unit (ASU)	\$ 28 /kg/d oxygen	75%	\$ 25 /kg/d oxygen	26.2	\$ 1,518 /kW ASU power
CO shift, cool & cleanup	\$ 20 /kg/d CO2	75%	\$ 18 /kg/d CO2	51.5	\$ 0.8 /scf/d H2 MDEA & PSA
Sulfur recovery	\$ 400 /kg/d sulfur	80%	\$ 369 /kg/d sulfur	7.6	O2 Claus & tailgas treat
H2 Compressor	\$ 2,000 /kWh	90%	\$ 1,921 /kWh	18.0	\$ 120 //kg/d H2
HP H2 gas storage	\$ 20 /gal phy vol	70%	\$ 18 /gal phy vol	19.2	\$ 255 /kg of HP H2 gas storage
HP H2 gas dispenser	\$ 30,000 /dispenser	100%	\$ 30,000 /dispenser	0.6	\$ 3 /kg/d dispenser design
			Total process units	190.5	
General Facilities	30% of process units			57.1	20-40% typical, SMR + 10%
Engineering Permitting & Startup	15% of process units			28.6	10-20% typical
Contingencies	10% of process units			19.0	10-20% typical, low after the first few
Working Capital, Land & Misc.	7% of process units			13.3	5-10% typical
			U.S. Gulf Coast Capital Costs	308.6	
Site specific factor	110% of US Gulf Coast costs		Total Capital Costs	339.4	
Unit Capital Costs	5.46 /scf/d H2 or	2,263 /kg/d H2 or	2,263 /gal/d gaso equiv		

Hydrogen Costs at 90% ann load factor	million \$/yr of 1 plant	\$/million Btu LHV	\$/1,000 scf H2	\$/kg H2 or \$/gal gaso equiv	Notes
Variable Non-fuel O&M	1.0% /yr of capital	3.4	0.61	0.17	0.07 0.5-1.5% typical
Coal	\$ 1.10 /MM Btu HHV	9.9	1.76	0.48	\$0.75-1.25/MM Btu typical
Electricity	\$ 0.045 /kWh	11.7	2.08	0.57	\$0.04-0.05/kWh industrial rate
Variable Operating Cost		25.0	4.45	1.22	0.51
Fixed Operating Cost	5.0% /yr of capital	17.0	3.03	0.83	0.34 4-7% typical for refining
Capital Charges	18% /yr of capital	61.1	10.90	2.99	1.24 20-25% typical for refining
Total HP Gas Hydrogen Costs from Coal		103.0	18.37	5.04	2.09 including return of investment
	plant gate still requires distribution				

note \$ 29.11 /tonne coal price from above \$/MM Btu input at 12,000 Btu/lb HHV

## Summary for Hydrogen Delivery Pathways

Final Version June 2002

**Inputs** Boxed in yellow are the key input variables you must choose, current inputs are just an example

### Hydrogen Production Inputs

Design hydrogen production	<b>150,000</b>	kg/d H2
Annual average load factor	<b>90%</b>	/yr of design
Average distance to forecourt	<b>150</b>	km, key assumption for tube trailer & especially pipeline
Truck utilization	<b>80%</b>	
Tube load	<b>300</b>	kg <span style="margin-left: 20px;">key input for tube trailer</span>
Tube pressure full	<b>160</b>	Atmosphere
Tube pressure (min)	<b>30</b>	Atmosphere
Pipeline	<b>621,504</b>	\$/km
Gasoline sales/month/station	<b>10,000</b>	kg/month thereby supplying <span style="margin-left: 20px;"><b>411 stations</b></span>
Fuel cost	<b>1</b>	\$/gal

### Capital Cost Buildup Inputs from process unit costs

General Facilities	<b>20%</b>	20-40% typical	assume low for pipeline
Engineering, Permits & Startup	<b>10%</b>	10-20% typical	assume low for pipeline
Contingencies	<b>10%</b>	10-20% typical, should be low after the first few	
Working Capital, Land & Misc.	<b>7%</b>	5-10% typical	
Site specific factor	<b>110%</b>	of US Gulf Coast	90-130% typical; sales tax, labor rates & weather issues

### Product Cost Buildup Inputs

Electricity cost	<b>0.045</b>	\$/kwh	\$0.04-0.05/kWh typical <b>industrial</b> rate, see www.eia.doe.gov
Non-fuel Variable O&M	<b>1.0%</b>	/yr of capital	0.5-1.5% typical but could be lower for pipeline
Fixed O&M Costs	<b>5.0%</b>	/yr of capital	4-7% typical for refiners: labor, overhead, insurance, taxes, G&A
Capital Charges	<b>18.0%</b>	/yr of capital	20-25%/yr CC typical for refiners & 14-20%/yr CC typical for utilities

**Outputs** 135,000 kg/d H2 that supports 226,032 FC vehicle: 10,000 kg/month per station supports **411 stations**  
 actual annual average 32,290 fill-ups/d if 1 fill-up/week @ 4.2 kg/fill-up with **329 kg/d H2**

Delivery Method	Capital Costs			Operating Cost		Product Costs
	Absolute \$ millions	Unit cost \$/scf/d H2	Unit cost /kg/d H2 or	Unit cost \$/kg H2	Unit cost \$/kg H2	Unit cost \$/kg H2
Liquid H2 via Tank Trucks	13.2	0.6	88.0	0.02	0.10	<b>0.18</b>
Gaseous H2 via Pipeline	603.0	29.5	4,019.9	0.61	0.61	<b>2.94</b>
Gaseous H2 via Tube Trailers	140.7	6.9	938.0	0.14	0.14	<b>2.09</b>

**Click on specific Excel worksheet tabs below for details of cost buildups for each case**

Source: SFA Pacific, Inc.



## Liquid Hydrogen Distributed via Trucks

Final Version June 2002

1 Central Plant Design		Design LHV energy equivalent				Assuming	55	mpg and	12,000	mile/yr
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	218	kg/yr H2/vehicle or gal/yr gaso equiv		
Maximum	1,000,000	1,000,000	4,742.186	414,500,000	1,389.448	<b>Assuming</b>	<b>90%</b>	Annual average load factor		
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711.328</b>	<b>62,175,000</b>	<b>208.417</b>	<b>actual H2</b>		10,000	kg/month H2 or gal/mo. gaso equiv	
Minimum	20,000	20,000	94.844	8,290,000	27.789	or		<b>550</b>	<b>FC vehicles can be supported at</b>	
						thereby		<b>78</b>	fill-ups/d @ 4.2 kg or gal equiv/fill-up	
								<b>411</b>	station supported by this central facility	

Average delivery distance	150	km	
Delivery distance	210	km	40% increase to represent physical distance
Truck utilization	80%		

Capital costs	Million \$	Notes
Tank & undercarrage	11.2	\$ 75 /kg/d H2
Cabe	2.0	\$ 13 /kg/d H2
<b>Total tube trailer cost</b>	<b>13.2</b>	

Variable Operating Cost	Million \$/yr	\$/million Btu LHV	\$/k scf H2	\$/kg H2 or \$/gal gaso equiv	
Labor	4.43	0.79	0.22	0.09	
Fuel	0.54	0.10	0.03	0.01	
Variable non-fuel O&M	1% /yr of capital	0.13	0.03	0.01	0.00
Total variable operating costs	<b>5.10</b>	<b>0.91</b>	<b>0.25</b>	<b>0.10</b>	6,000 \$/yr/truck
<b>Fixed Operating Cost</b>	<b>0.66</b>	<b>0.12</b>	<b>0.03</b>	<b>0.02</b>	
<b>Capital Charges</b>	<b>18% /yr of capital</b>	<b>2.38</b>	<b>0.42</b>	<b>0.12</b>	<b>0.06</b>
<b>Total operating costs</b>	<b>8.14</b>	<b>1.45</b>	<b>0.40</b>	<b>0.18</b>	

### Assumptions

Truck costs			
Tank unit	450,000	\$/module	113 \$/kg H2 storage
Undercarrage	60,000	\$/trailer	
Cabe	90,000	\$/cab	
Truck boil-off rate	0.30	%/day	
Truck capacity	4000	kg/truck	
Fuel economy	6	mpg	
Average speed	50	km/hr	
Load/unload time	4	hr/trip could be lowered with a liquid H2 pump	
Truck availability	24	hr/day	
Hour/driver	12	hr/driver	
Driver wage & benefits	28.75	\$/hr	
Fuel price	1	\$/gal	

### Truck requirement calculations

Trips per year	12,319		34	trips per day	
Total Distance	5,173,875	km/yr	235,176	km/yr per truck	little high
Time for each trip	8.4	hr/trip			
Trip length	12.4	hr/trip			
Delivered product	48,658,030	kg/yr			
Total delivery time	152,753	hr/yr			
Total driving time	103,478	hr/yr			
Total load/unload time	49,275	hr/yr			
Truck availability	7008	hr/yr			
Truck requirement	22	trucks			
Driver time	3504	hr/yr			
Drivers required	44	persons			
Fuel usage	535,000	gal/yr			

Source: SFA Pacific, Inc.

## Gaseous Hydrogen Distributed via Pipeline

Final Version June 2002

1 Central Plant Design		Design LHV energy equivalent				MW t	Assuming requires	gasoline equivalent	
		Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2			55 mpg and	12,000 mile/yr
Maximum	1,000,000	1,000,000	4,742	414,500,000	1,389	Assuming	218	kg/yr H2/vehicle or gal/yr gaso equiv	
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711</b>	<b>62,175,000</b>	<b>208</b>	<b>actual H2</b>	<b>90%</b>	<b>annual load factor at</b>	
Minimum	20,000	20,000	95	8,290,000	28	thereby	120,000	kg/y H2 /station or gal/y gaso equiv	
							10,000	kg/month H2 or gal/mo. gaso equiv	
							or	<b>550 vehicles can be serviced at</b>	
								<b>78 fill-ups/d @ 4.2 kg or gal equiv/fill-up</b>	
								<b>411 station supported by this central facility</b>	

Delivery distance	<b>150</b> km	key input	
Number of arms	<b>4</b> key input	Radiate four directions or	<b>600 km of total pipeline</b> key issue
Delivery pressure	<b>440</b> psia		
Pipeline cost	<b>621,504</b> \$/km	includes right of way costs which is the key cost issue in urban areas	
Electricity cost	<b>0.045</b> \$/kwh	if a booster compressor is required for long pipeline	

		Million \$	
Capital costs			
Pipeline		372.9	
Capital cost		372.9	
General Facilities & permitting	<b>20%</b> of unit cost	74.6	could be lower for pipelines
Eng. startup & contingencies	<b>10%</b> of unit cost	37.3	
Contingencies	<b>10%</b> of unit cost	37.3	
Working Capital, Land & Misc.	<b>7%</b> of unit cost	26.1	could be lower for pipelines
		<b>548.2</b>	
Location factor	<b>110%</b> of US Gulf Coast	<b>603.0</b>	

		Million \$/yr	\$/million Btu LHV	\$/k scf H2	\$/kg H2 or \$/gal gaso equiv	
<b>Variable Operating Cost</b>						
Variable non-fuel O&M	<b>1%</b> /yr of capital	6.03	1.08	0.30	0.12	could be lower for pipelines
Total variable operating costs		<b>6.03</b>	<b>1.08</b>	<b>0.30</b>	<b>0.12</b>	
<b>Fixed Operating Cost</b>	<b>5%</b> /yr of capital	<b>30.15</b>	<b>5.38</b>	<b>1.48</b>	<b>0.61</b>	could be lower for pipelines
<b>Capital Charges</b>	<b>18%</b> /yr of capital	<b>108.54</b>	<b>19.35</b>	<b>5.31</b>	<b>2.20</b>	
Total operating costs		<b>144.72</b>	<b>25.80</b>	<b>7.09</b>	<b>2.94</b>	

Source: SFA Pacific, Inc.



## Gaseous Hydrogen Distributed via Tube Trailers

Final Version June 2002

Design per station		Design LHV energy equivalent				Assuming	55	12,000
Size range	Hydrogen kg/d H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	mpg and	mile/yr
Maximum	1,000,000	1,000,000	4,742.186	414,500,000	1,389.448	Assuming	218	kg/yr H2/vehicle or gal/yr gaso equiv
<b>This run</b>	<b>150,000</b>	<b>150,000</b>	<b>711.328</b>	<b>62,175,000</b>	<b>208.417</b>	<b>actual H2</b>	<b>90%</b>	Annual average load factor
Minimum	20,000	20,000	94.844	8,290,000	27.789	or	10,000	kg/month H2 or gal/mo. gaso equiv
						thereby	<b>550</b>	<b>FC vehicles can be supported at</b>
							<b>78</b>	fill-ups/d @ 4.2 kg or gal equiv/fill-up
							<b>411</b>	station supported by this central facility

Average delivery distance	150 km	
Delivery distance	210 km	40% increase to represent physical distance
Truck utilization	80%	

Capital costs	Million \$	Notes
Tubes & undercarriage	113.7	\$ /kg/d H2, high due to the 411 units left at stations
Cabe	27.0	\$ /kg/d H2
<b>Total tube trailer cost</b>	<b>140.7</b>	

Variable Operating Cost	Million \$/yr	\$/million			
		Btu LHV	\$/k scf H2	\$/gal gaso equiv	
Operating costs					
Labor	60.44	10.78	2.96	1.23	
Fuel	8.79	1.57	0.43	0.18	
Variable non-fuel O&M	1.41	0.25	0.07	0.03	4,690 \$/yr/truck
<b>Total variable operating costs</b>	<b>70.64</b>	<b>12.59</b>	<b>3.46</b>	<b>1.43</b>	
<b>Fixed Operating Cost</b>	<b>7.04</b>	<b>1.25</b>	<b>0.34</b>	<b>0.14</b>	
<b>Capital Charges</b>	<b>25.33</b>	<b>4.52</b>	<b>1.24</b>	<b>0.51</b>	
<b>Total operating costs</b>	<b>103.00</b>	<b>18.36</b>	<b>5.04</b>	<b>2.09</b>	

### Assumptions

Truck costs			
Tube unit	100,000	\$/module	333 \$/kg H2 design stoage @ 160 atm
Undercarriage	60,000	\$/trailer	
Cabe	90,000	\$/cab	
Truck capacity	300	kg/truck key issue	
Pressure (max)	160	atmosphere	
Pressure (min)	30	atmosphere	
Net delivery	244	kg/truck key issue	
Fuel economy	6	mpg	
Average speed	50	km/hr	
Hour/driver	12	hr/driver	
Load/unload time	2	hr/trip	this could be lower as just change tube trailers at stations
Truck availability	24	hr/day	
Driver wage & benefits	28.75	\$/hr	
Fuel price	1	\$/gal	

### Tube trailer requirement calculations

Trips per year	202,100	trips/yr or	554	trips per day	
Total distance	84,882,000	km/yr	282,940	km/yr per truck	little high
Time for each trip	8.4	hr/trip			
Total delivery time	2,101,840	hr/yr			
Total driving time	1,697,640	hr/yr			
Total load/unload time	404,200	hr/yr			
Truck availability	7008	hr/yr			
<b>Truck &amp; tube trailer requirement</b>	<b>300</b>	<b>trucks but</b>	<b>711</b>	<b>tube trailers due to 1 left at each station</b>	
Driver time, hr/yr	3504	hr/yr			
Drivers required	600	persons			
Fuel usage	8,790,000	gal/yr			

Source: SFA Pacific, Inc.

## Summary for Hydrogen Fueling Pathways

Final Version June 2002

**Inputs** Boxed in yellow are the key input variables you must choose, current inputs are just an example

### Hydrogen Production Inputs

Design hydrogen production	150,000	kg/d H2 from central facility	Notes
Annual average load factor	90%	/yr of design	
Gasoline sales/month/station	10,000	kg/month	thereby supplying <span style="border: 1px solid black; padding: 2px;">411 stations</span>
Forecourt loading factor	70%	/yr of design	"plug & play" 24 hr replacements for reasonable availability
High pressure gas storage buffer	3	hours at peak surge rate	

### Capital Cost Buildup Inputs from process unit costs

General Facilities	25%	
Engineering, Permitting & Startup	10%	Engineering costs spread over multiple stations
Contingencies	10%	
Working Capital, Land & Misc.	7%	

### Product Cost Buildup Inputs

Road tax or (subsidy)	\$ -	/gal gasoline equivalent	may need subsidy like EtOH to get it going
Gas Station mark-up	\$ -	/gal gasoline equivalent	may be needed if H2 sales drops total station revenues
Electricity cost	0.07	\$/kwh	\$0.06-.09/kWh typical <b>commercial</b> rate, see www.eia.doe.gov
Non-fuel Variable O&M	0.5%	/yr of capital	0.5-1.5% is typical, assumed low here for "plug & play"
Fixed O&M Costs	3.0%	/yr of capital	4-7% typical for insurance, taxes, G&A (may be low here)
Capital Charges	18.0%	/yr of capital	20-25%/yr CC typical for refiners & 14-20%/yr CC for utilities 20%/yr CC is about 12% IRR DCF on 100% equity where as 15%/yr CC is about 12% IRR DCF on 50% equity & debt at 7%

**Outputs**    135,000 kg/d H2 that supports    226,032 FC vehicles    10,000 kg/month per station supports    411 stations  
 actual annual average    32,290 fill-ups/d if 1 fill-up/week @ 4.2 kg/fill-up    each with    329 kg/d H2

Delivery Method	Capital Costs			Operating Cost		Product Costs
	Absolute \$ millions	Unit cost \$/scf/d H2	Unit cost /kg/d H2 or \$/kg H2	Fixed Unit cost \$/kg H2	Variable Unit cost \$/kg H2	including return on capital Unit cost \$/kg H2
Liquid H2 Gaseous Fueling System	279	13.64	1,857	0.17	0.08	1.27
Gaseous H2 via Pipeline	212	10.39	1,415	0.13	0.16	1.07
Gaseous H2 via Tube Trailer	212	10.39	1,415	0.13	0.09	1.00

Click on specific Excel worksheet tabs below for details of cost buildups for each case


Source: SFA Pacific, Inc.

## Liquid Hydrogen Based Fueling Stations

Final Version June 2002

Central hydrogen production **150,000** kg/d  
 Annual average load factor **90%** /yr of design

Design per station		Design LHV energy equivalent				Assuming	55 mpg and 12,000 mile/yr
Size range	Hydrogen kg/d/station H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	218 kg/yr H2/vehicle or gal/yr gaso equiv
<b>This run</b>	<b>470</b>	470	2.227	194,699	0.653	<b>Assuming actual H2</b>	<b>70%</b> Forecourt loading factor
<b>one of</b>	<b>411 stations</b>					or thereby	<b>10,000</b> kg/month H2 or gal/mo. gaso equiv
		at <b>4,000</b> kg/load require one tanker every					<b>550</b> FC vehicles can be supported at
							<b>78</b> fill-ups/d @ 4.2 kg or gal equiv/fill-up
							<b>329</b> kg/d H2 average consumption
							<b>12</b> days



Capital Costs	Unit cost basis at 1,000 kg/d H2	cost/size factors	Unit cost at 470 kg/d H2	millions of \$	Notes
Liquid H2 pump/vaporizer	\$ 250 /kg/d H2	70%	\$ 314 /kg/d H2	0.15 \$	314 /kg/d H2
Liquid H2 storage	\$ 10 /gal phy vol	70%	\$ 13 /gal phy vol	0.15 \$	47 /kg/d H2
H2 buffer storage	\$ 100 /gal phy vol	80%	\$ 116 /gal phy vol	0.11 \$	931 /kg/d H2
Liquid H2 dispenser	\$ 15,000 /dispenser	100%	\$ 15,000 /dispenser	0.03 \$	64 /kg/d dispenser design
General Facilities & permitting	<b>25%</b> of unit cost			0.45	
Eng. startup & contingencies	<b>10%</b> of unit cost			0.11	
Contingencies	<b>10%</b> of unit cost			0.04	
Working Capital, Land & Misc.	<b>7%</b> of unit cost			0.04	
				0.03	
<b>Capital Costs</b>				<b>0.68</b>	<b>for 1 of 411 stations</b>
<b>Total Capital Costs</b>				<b>279</b>	<b>for all 411 stations</b>

	70% ann load factor	\$/yr of 1 station	\$/million Btu LHV	\$/k scf H2	\$/kg H2 or \$/gal gaso equiv	
<b>Hydrogen Costs at</b>						
Road tax or (subsidy)	\$ - /gal gaso equiv	-	-	-	-	can be subsidy like EtOH
Gas Station mark-up	\$ - /gal gaso equiv	-	-	-	-	if H2 drops total station revenues
Variable Non-fuel O&M	<b>0.5%</b> /yr of capital	3,389	0.25	0.07	0.03	0.5-1.5 typical many be low here
Electricity	<b>0.070</b> /kWh	6,721	0.49	0.14	0.06	0.06-0.09 typical commercial rates
<b>Variable Operating Cost</b>		<b>10,110</b>	<b>0.74</b>	<b>0.20</b>	<b>0.08</b>	
<b>Fixed Operating Cost</b>	<b>3.0%</b> /yr of capital	<b>20,333</b>	<b>1.49</b>	<b>0.41</b>	<b>0.17</b>	3-5% typical, may be lower here
<b>Capital Charges</b>	<b>18.0%</b> /yr of capital	<b>121,996</b>	<b>8.93</b>	<b>2.45</b>	<b>1.02</b>	20-25% typical for refiners
<b>Fueling Station Cost</b>		<b>152,438</b>	<b>11.16</b>	<b>3.06</b>	<b>1.27</b>	

including return of investment

Hydrogen Fueling Station Costs	
Delivery to	411 Stations Million \$/yr
Variable Operating Cost	4.16
Fixed Operating Cost	8.36
Capital Charges	50.14
<b>Total Fueling Station Cost</b>	<b>62.65</b>

Source: SFA Pacific, Inc.

## Gaseous Hydrogen Based Fueling Stations - Pipeline Delivery

Final Version June 2002


Central hydrogen production **150,000** kg/d  
Annual average load factor **90%** /yr of design

Design per station		Design LHV energy equivalent				Assuming	55	12,000
Size range	Hydrogen kg/d/station H2	gasoline gal/d	million Btu/hr	scf/d H2	MW t	requires	218	kg/yr H2/vehicle or gal/yr gaso equiv
<b>This run</b>	<b>470</b>	470	2.227	194,677	0.653	<b>Assuming</b>	<b>70%</b>	Forecourt loading factor
						or	<b>10,000</b>	kg/month H2 or gal/mo. gaso equiv
								<b>550 FC vehicles can be supported at</b>
								<b>78</b> fill-ups/d @ 4.2 kg or gal equiv/fill-up

one of **411** stations

**Electric Power**

Compress 56 kw



	Unit cost basis at 1,000 kg/d H2	cost/size factors	Unit cost at 470 kg/d H2	millions of \$ for 1 fueling station
<b>Capital Costs</b>				
H2 Compressors	\$ 3,000 /kwh	80%	\$ 3,490 /kg/d H2	0.20 \$ 415 /kg/d H2
H2 buffer storage	\$ 100 /gal phy vol	80%	\$ 116 /gal phy vol	0.11 \$ 931 /kg of HP H2 gas storage
Gaseous H2 dispenser	\$ 15,000 /dispenser	100%	\$ 15,000 /dispenser	0.03 \$ 64 /kg/d dispenser design
			Unit cost	0.34
General Facilities & permitting	<b>25%</b>			0.08
Eng. startup & contingencies	<b>10%</b>			0.03
Contingencies	<b>10%</b>			0.03
Working Capital, Land & Misc.	<b>7%</b>			0.02
			<b>Capital Costs</b>	<b>0.52 for 1 of</b> 411 stations
			<b>Total Capital Costs</b>	<b>212 for all</b> 411 stations

	70% ann load fact	\$/yr of 1 station	\$/million Btu LHV	\$/k scf H2	\$/kg H2 or \$/gal gaso equiv
<b>Hydrogen Costs at</b>					
Road tax or (subsidy)	\$ - /gal gaso equi	-	-	-	- can be subsidy like EtOH
Gas Station mark-up	\$ - /gal gaso equi	-	-	-	- if H2 drops total station revenues
Variable Non-fuel O&M	<b>0.5%</b> /yr of capital	2,583	0.19	0.05	0.02 0.5-1.5 typical many be low here
Electricity	<b>\$ 0.070</b> /kWh	16,800	1.23	0.34	0.14 0.06-0.09 typical commercial rates
<b>Variable Operating Cost</b>		<b>19,383</b>	<b>1.42</b>	<b>0.39</b>	<b>0.16</b>
<b>Fixed Operating Cost</b>	<b>3.0%</b> /yr of capital	<b>15,496</b>	<b>1.13</b>	<b>0.31</b>	<b>0.13</b> 3-5% typical, may be lower here
<b>Capital Charges</b>	<b>18.0%</b> /yr of capital	<b>92,978</b>	<b>6.81</b>	<b>1.87</b>	<b>0.77</b> 20-25% typical for refiners
<b>Fueling Station Cost</b>		<b>127,857</b>	<b>9.36</b>	<b>2.57</b>	<b>1.07</b>
	including return of investment				

### Hydrogen Fueling Station Costs

Delivery to	411 Stations Million \$/yr
Variable Operating Cost	7.97
Fixed Operating Cost	6.37
Capital Charges	38.21
<b>Total Fueling Station Cost</b>	<b>52.55</b>

Source: SFA Pacific, Inc.


## Gaseous Hydrogen Based Fueling Stations - Tube Trailer Delivery

Final Version June 2002

Central hydrogen production **150,000** kg/d  
 Annual average load factor **90%** /yr of design

Design per station		Design LHV energy equivalent				Assuming	55	12,000
Hydrogen	gasoline	million	scf/d H2	MW t	requires	218	kg/yr H2/vehicle or gal/yr gaso equiv	
Size range	kg/d/station H2	gal/d	Btu/hr		Assuming	70%	Forecourt loading factor	
This run	<b>470</b>	470	2,227	194,677	0.653	or	10,000	
							kg/month H2 or gal/mo. gaso equiv	

one of **411** stations at **244** kg/load require one tanker every **0.74** days or **18** hours  
**550** FC vehicles can be supported at **78** fill-ups/d @ 4.2 kg or gal equiv/fill-up  
**329** kg/d H2 average consumption



	Unit cost basis at	1,000 kg/d H2	cost/size factors	Unit cost at	470 kg/d H2	millions of \$	Notes
Capital Costs							
Compressors	\$	3,000 /kwh	80%	\$	3,490 /kwh	0.20	\$ 415 /kg/d H2
H2 buffer storage	\$	100 /gal phy vol	80%	\$	116 /gal phy vol	0.11	\$ 931 /kg of HP H2 gas storage
Gaseous H2 dispenser	\$	15,000 /dispenser	100%	\$	15,000 /dispenser	0.03	\$ 64 /kg/d dispenser design
						0.34	
General Facilities & permitting		<b>25%</b> of equipment cost				0.08	
Eng. startup & contingencies		<b>10%</b> of equipment cost				0.03	
Contingencies		<b>10%</b> of equipment cost				0.03	
Working Capital, Land & Misc.		<b>7%</b> of equipment cost				0.02	
				<b>Capital Costs</b>		<b>0.52 for 1 of</b>	411 stations
				<b>Total Capital Costs</b>		<b>212 for all</b>	411 stations

		70% ann load fact	\$/yr of 1 station	\$/million Btu LHV	\$/k scf H2	\$/kg H2 or \$/gal gaso equiv	
Hydrogen Costs at							
Road tax or (subsidy)	\$	-	-	-	-	-	can be subsidy like EtOH
Gas Station mark-up	\$	-	-	-	-	-	if H2 drops total station revenues
Variable Non-fuel O&M		<b>0.5%</b> /yr of capital	2,583	0.19	0.05	0.02	0.5-1.5 typical many be low here
Electricity	\$	<b>0.070</b> /kWh	8,400	0.62	0.17	0.07	assume <b>50%</b> of design power
<b>Variable Operating Cost</b>			<b>10,983</b>	<b>0.80</b>	<b>0.22</b>	<b>0.09</b>	due to tube pressrue
<b>Fixed Operating Cost</b>		<b>3.0%</b> /yr of capital	<b>15,496</b>	<b>1.13</b>	<b>0.31</b>	<b>0.13</b>	3-5% typical, may be lower here
<b>Capital Charges</b>		<b>18.0%</b> /yr of capital	<b>92,978</b>	<b>6.81</b>	<b>1.87</b>	<b>0.77</b>	20-25% typical for refiners
<b>Fueling Station Cost</b>			<b>119,457</b>	<b>8.75</b>	<b>2.40</b>	<b>1.00</b>	
		including return of investment					

Hydrogen Fueling Station Costs	411 Stations
Delivery to	Million \$/yr
Variable Operating Cost	4.51
Fixed Operating Cost	6.37
Capital Charges	38.21
<b>Total Fueling Station Cost</b>	<b>49.10</b>

Source: SFA Pacific, Inc.

## Hydrogen Conversions

**boxed yellow** are key input variables

Change below  
for any size

	Basis					
<b>kg H2</b>	<b>1.000</b>	<b>10</b>	<b>100</b>	<b>1,000</b>	<b>10,000</b>	<b>2,413</b>
Btu HHV	134,690	1,346,900	13,469,004	134,690,037	1,346,900,370	324,972,145
Btu LHV	113,812	1,138,125	11,381,248	113,812,475	1,138,124,750	274,600,000
H2 gas LHV/HHV	84.5%	84.5%	84.5%	84.5%	84.5%	84.5%
standard cubic feet (scf) @ 60°F & 1 atm	414.5	4,145	41,447	414,466	4,144,664	1,000,000
normal cubic meters (Nm3) @ 0°C & 1 atm	11.1	111	1,110	11,104	111,040	26,791
gallons @ standard conditions of 60°F & 1 atm	3,100	31,004	310,042	3,100,424	31,004,242	7,480,520
<b>gallons gaseous H2 @ 400 atm &amp; 60° F</b>	<b>8.53</b>	<b>85</b>	<b>853</b>	<b>8,526</b>	<b>85,262</b>	<b>20,571</b>
<b>gallons liquid H2 phy vol @ 2 atm &amp; -430°F</b>	<b>3.73</b>	<b>37</b>	<b>373</b>	<b>3,733</b>	<b>37,330</b>	<b>9,007</b>
kWh thermal equivalent LHV	33.3	333	3,335	33,347	333,468	80,457
Assumed gasoline Btu/gal HHV	121,335	121,335	121,335	121,335	121,335	121,335
Assumed gasoline LHV/HHV	93.8%	93.8%	93.8%	93.8%	93.8%	93.8%
Assumed gasoline Btu/gal LHV	113,812	113,812	113,812	113,812	113,812	113,812
<b>gallons gasoline energy equiv LHV</b>	<b>1.000</b>	<b>10</b>	<b>100</b>	<b>1,000</b>	<b>10,000</b>	<b>2,413</b>

Note: Essential to use LHV gasoline equivalent due to the 2.5 times larger water vapor energy losses of H2 vs gasoline

Source: SFA Pacific, Inc

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB NO. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE July 2002	3. REPORT TYPE AND DATES COVERED Subcontractor report, 1/22/02-7/22/02	
4. TITLE AND SUBTITLE Hydrogen Supply: Cost Estimate for Hydrogen Pathways—Scoping Analysis			5. FUNDING NUMBERS FU232210	
6. AUTHOR(S) Dale R. Simbeck Elaine Chang				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) SFA Pacific, Inc. Mountain View, CA			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Renewable Energy Laboratory 1617 Cole Blvd. Golden, CO 80401-3393			10. SPONSORING/MONITORING AGENCY REPORT NUMBER  NREL/SR-540-32525	
11. SUPPLEMENTARY NOTES  NREL Technical Monitor: Wendy Clark				
12a. DISTRIBUTION/AVAILABILITY STATEMENT National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) A report showing a comparative scoping economic analysis of 19 pathways for producing, handling, distributing, and dispensing hydrogen for fuel cell vehicle applications.				
14. SUBJECT TERMS fuel cell, hydrogen, International Hydrogen Infrastructure Group, SFA			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT  UL	